



DTF 35 SH

Electric

Article code	Power	Wattage/HP
800024	3×400 V, 50 HZ	15 kW / 20 HP


Key features	
Cutting width	35 cm / 14"
Distance to wall	10.7 cm / 4"
Cutting depth	Up to 25 mm / 1"
Production / h	Up to 20 m ² / h, 215 f ² / h on full depth



Physical parameters	
Weight kg / lbs	307 kg / 677 lbs
Dimensions cm / inch	138×68×113 cm / 54×27×45"

Field of application	
Depending on the blade type, hard, brittle to firm or elastic surface materials can be worked e.g.:	• Asphalt and cast asphalt surfaces • Concrete and cement, synthetic stone, floor tiles • Screeds of cement, wood cement, ceramic etc. • Natural stone • Thermoplastic materials
Surfaces made of highly elastic soft materials or fabrics and fiber materials cannot be worked, or can only be worked with certain limitations e.g.:	• Latex, rubber, soft plastics and foam materials • Wood, carpets and woven materials

NOTE: The machines are delivered without any blades, drums or sets!


SPARE PARTS

Blades set for shaft 350 mm width					
Article code	Blade count	Spacer count	Space inbetween	Concrete type	
800101	27	80 × 4 mm & 12 × 5 mm	12 mm	Regular	
800102	53	54 × 5 mm & 12 × 5 mm	5 mm	Regular	
800148	59	77 × 4 mm	4 mm	Regular	
800104	27	80 × 4 mm & 12 × 5 mm	12 mm	Hard	
800105	53	54 × 5 mm & 12 × 5 mm	5 mm	Hard	
800147	59	77 × 4 mm	4 mm	Hard	
800152	27	80 × 4 mm & 12 × 5 mm	12 mm	Super Hard	
800155	53	54 × 5 mm & 12 × 5 mm	5 mm	Super Hard	
800158	78	79 × 3 mm & 12 × 5 mm	3 mm	Super Hard	

Single parts for shaft				
Article code	Type	Size	Concrete type	
600649	Single blade	230 mm / 9"	Regular	
600648	Single blade	230 mm / 9"	Hard	
601101	Single blade	230 mm / 9"	Super Hard	
600258	Spacer	4 mm		
600364	Spacer	5 mm		
601106	Spacer	3 mm		

ACCESSOIRES

Distance sets	
800119	Distance bush shaft set 10 cm
800120	Distance bush shaft set 15 cm
800121	Distance bush shaft set 17 cm
800122	Distance bush shaft set 20 cm
800123	Distance bush shaft set 25 cm



NOTE: The sets consists of three bushings: two custom made and one universal.

600956	Weight set		600969	Lifting point set	
600963	Aiming device complete		600971	Wheel protector set	
600970	4" to 3" camlock adapter set		800167	Laser pointing kit	

NOTE: All accessories are supplied with their respective fasteners.