



LAVINA

Surface Preparation Systems



GRINDERS
ACCESSORIES

page 4



POWER TROWELS
ACCESSORIES

page 9



DENSIFIERS,
SEALERS & DYES

page 30



DUST EXTRACTORS
ACCESSORIES

page 14



DIAMOND
SEGMENTS

page 20



DIAMOND
SCREENS

page 39



PLASTIC
TOOLS

page 25



SCARIFIERS
ACCESSORIES

page 16



SHAVERS
ACCESSORIES

page 17



FLOOR SCRAPERS
ACCESSORIES

page 18



SHOT-BLASTING
MACHINES

page 18



POLISHERS
SINGLE DISC MACHINES

page 7



DUST EXTRACTORS
FOR SHOT-BLASTING
MACHINES

page 19



TOOLS
FOR HAND MACHINES

page 29



SUPRASHINE
DIAMOND PADS

page 38

SURFACE PREPARATION SYSTEMS



50% upfront
50% - 60 days



www.beton555.com

PRICE LIST
2026



Since 2013, **Lavina Sp. z o.o.** has been successfully working with contractors in the Eastern European market. Our online platform, www.beton555.com, offers direct sales, but we are much more than just an online store.

Our approach is based on working directly with contractors, understanding their needs and providing hands-on support on site. We offer technology demonstrations, floor cleaning and restoration trials, as well as training for contractors and on-site machine commissioning.

We place a strong emphasis on after-sales service, technical support and fulfilling our warranty obligations.

We invite you to work with us and bring proven, practical flooring solutions to your projects.

We offer three attractive financing options for machinery and bulk purchases of chemicals, making it easier to get projects started and keep work moving on site:

START 50% Programme - selected machines and products marked with the 50% symbol in the price list can be purchased with **50% payable at the time of purchase and the remaining 50% at a later date.**

Deferred payment terms - available subject to a quick creditworthiness assessment.

Leasing - if you do not already work with a leasing provider, we can put you in touch with one of our **proven and trusted leasing partners.**

We look forward to working with you

■ TABLE OF CONTENTS

REMOTE-CONTROLLED PLANETARY GRINDERS	4
POWER TROWELS	5
PLANETARY WALK-BEHIND GRINDERS	5
SINGLE-HEAD GRINDERS	7
ORBITAL SINGLE-DISC MACHINES	7
HIGH-SPEED POLISHERS	8
DUAL HIGH-PROFILE POWER TROWELS	9
DUAL LOW-PROFILE POWER TROWELS	10
CONCRETE EDGE TROWELS	10
POWER TROWEL BLADES	11
POWER TROWEL PANS (DISCS)	14
PANS (DISCS) & HEADS FOR CONCRETE POLISHING FOR POWER TROWELS	15
DUST EXTRACTORS	16
PRE-SEPARATORS	17
SCARIFIERS	18
SHAVERS	19
FLOOR SCRAPERS	20
SHOT-BLASTING MACHINES	20
DUST EXTRACTORS FOR SHOT-BLASTING MACHINES	21
XQC METAL DIAMOND TOOLS (CONCRETE & STONE GRINDING)	22
PCD DIAMOND TOOLS & BUSH HAMMER TOOLS (SCRAPING, BUSH HAMMERING)	25
ADAPTERS FOR BUSH HAMMERS	27
HYBRID & PLASTIC TOOLS (HONING & POLISHING)	27
PLASTIC TOOLS ON FELT SUPPORT (FINAL POLISHING)	30
TOOLS FOR HAND GRINDERS	31
CONCRETE SILICATES & HARDENERS	32
SURFACE & PENETRATING CONCRETE SEALERS	34
CONCRETE REPAIR & JOINT MATERIALS	36
CONCRETE FLOOR CLEANERS FOR AUTOMATIC FLOOR SCRUBBERS	37
PENETRATING CONCRETE DYES	38
SUPRASHINE PADS	40
DIAMOND SCREENS	41



REMOTE-CONTROLLED PLANETARY GRINDERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	A7-L55LEO	TQ GRIND Dual Planetary Grinder, Remote-Controlled A7-L55LEO is an autonomous planetary grinder for large concrete areas, equipped with radio control (remote control), battery power supply and dual planetary gear system ensuring maximum power and stability. Working width 1400mm, 2× 15kW motors, Lavina XQC heads, variable speed control and integrated dust extraction system compatible with Von Arx & Lavina dust extractors ensure high performance, precision and comfort of work for the most demanding jobs	35,671
	A5-L34	TQ GRIND Electric Grinder, Remote-Controlled A5-L34 is an efficient planetary grinder for intensive grinding, polishing and renovation of concrete floors on large industrial and commercial areas. Fitted with 4 working heads (12 or 24 Lavina XQC tools), remote-controlled, with working diameter of 840mm, weight of 720kg and 3-phase power supply, it ensures high precision, stability and efficiency when scraping, levelling and forming of smooth and decorative concrete floors as well as when renovating concrete, terrazzo and stone surfaces	16,134 
	L38REU	Lavina L38REU Electric Grinder, Remote-Controlled Lavina L38REU is an efficient, electric planetary grinder for professional preparation of concrete surfaces. Equipped with 18.5kW motor, with working width of 924mm and weight of 732kg, it ensures high pressure of 245-355kg per head and stable operation. Remote control using an innovative remote-control unit, intuitive operation and additional working lighting ensure maximum control, comfort and safety, even for the most demanding jobs	35,903
	L30RS7	Lavina L30RS7 Electric Grinder, Remote-Controlled Lavina L30RS7 is an advanced planetary grinder for precise preparation of concrete and stone, combining high efficiency and modern ergonomics. It offers working width of 783mm, weight of 528kg, grinding pressure of 221-293kg, 3× Ø 335mm pans with rotary speed of 400-765rpm and left-hand, reverse rotation direction. Equipped with remote control with 4.3" TFT LCD display, removable Li-Ion battery, 20L water tank, 17.4m long cord and with compact dimensions of 218×82×116cm, it provides excellent control, stability and the highest quality of work, even in demanding applications	28,433
	L31RES7	Lavina L31RES7 Electric Grinder, Remote-Controlled L31RES7 is an efficient, remote-controlled planetary grinder for professional preparation of concrete and stone. Equipped with 15kW (380-400V) motor, 3× Ø 335mm heads with rotary speed of 400-650rpm, it provides even 380kg of pressure thanks to adjustable weights. New, dust-proof design of S7 frame, control with remote control with 4.3" TFT LCD display, weight of 569kg, option to connect a dust extractor and a width of 78cm (allowing it to pass through standard doors) make it a versatile and precise tool for industrial and office applications	31,944
	L25RS7	Lavina 25RS7 Planetary Grinder, Remote-Controlled Lavina 25RS7 is a professional, remote-controlled planetary grinder designed for grinding and polishing of concrete and stone in medium and larger projects. Equipped with 11kW (380-400V) motor, with working diameter of 673mm and weight of 515kg, it offers high operating efficiency and stability. New design of S7 frame, improved weights, easier tool replacement, ergonomic handle, vibration reduction, water tank and practical storage provide operator with maximum comfort, control and efficiency on the site	26,204

 ask for discount

POWER TROWELS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	LP36GE	Lavina LP36 Concrete Grinding and Polishing System Based on Power Trowel Lavina LP36 is an innovative solution for grinding, polishing and finishing of concrete on large industrial and commercial areas, combining functions of power trowel and professional concrete grinder. The machine is equipped with KOHLER 24 HP gasoline motor, Trowel Shine system with Quick Change adapters, 48 active working tools, two 900mm plates and weighs 645kg, which ensures high pressure, efficiency and high working pace. Control panel, LED lighting and transport wheel with actuator increase comfort of operation for jobs involving polishing of concrete and renovation of floors	34,404
	LP30E	Lavina LP30E Electric Concrete Grinding and Polishing System Based on Power Trowel Lavina LP30E is a self-propelled electric concrete grinding system based on power trowel, designed for efficient preparation of concrete on large areas. Equipped with two 11kW (400-480V) motors, 8x Ø 225mm heads, adjustable rotary speed of 45-185rpm, with weight of 445kg and 17.4m long power cord, it ensures stable operation, high pressure and uniform grinding. Compact dimensions of 162x84x123cm facilitate steering, and power supply ensures silent and zero-emission indoor operation	25,342

PLANETARY WALK-BEHIND GRINDERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	LB36G-S	LAVINA B36G-S Planetary High-Speed Gas Grinding and Polishing Machine Lavina B36G-S (B36GTS) is an advanced planetary grinding and polishing machine for grinding, deep cleaning and renovation of large concrete areas. As the world's first three-head high-speed machine it operates at 1666-3000rpm, is equipped with 3x Ø 14" (355mm) heads and is powered by Kawasaki gas (propane) motor with catalyst, which allows for safe operation in enclosed spaces while maintaining extremely high productivity	16,540  50% upfront 50% - 60 days
	L30GKS7	Lavina L30GKS7G Gas Planetary Grinder Lavina L31GS7 is a S7 series professional gas planetary grinder, designed for heavy concrete grinding and polishing on large areas. Equipped with VANGUARD 993cc (35HP / 26kW) motor, with working width of 783mm, 3x Ø 335mm heads (left-hand rotation) and weight of 460kg, it ensures a pressure of 178-313kg, with the option to increase the pressure to 390 kg by adding extra weights. Sealed head, new control electronics, propane supply (20lbs bottle) and optional transport wheel make it a reliable solution for intensive industrial jobs	26,879
	L31ES7	Lavina L31ES7 Electric Planetary Grinder Lavina L31ES7 is a S7 series efficient electric planetary grinder, designed for medium and large industrial jobs. Equipped with 15kW (20HP) motor, with working width of 783mm, rotary speed of 800-1300rpm and weight of 510kg, it ensures high operating performance and stability. New, sealed and dust-proof head, redesigned planetary drive, improved weights, ergonomic handle and vibration reduction ensure higher durability, easier operation and high comfort of use in professional applications	23,552

* ask for discount




+48 518 961 321 Technical Support



+48 786 864 361 Office

PLANETARY WALK-BEHIND GRINDERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	L30ES7	Lavina 30ES7 Electric Planetary Grinder Lavina L30ES7 is a professional walk-behind planetary grinder for medium and larger concrete projects, offering a power of 11kW, working diameter of 760mm, 3x Ø 335mm heads, rotary speed of 450-765rpm and working pressure of 166-250kg with a weight of 412kg. New design of S7 frame, sealed and dust-proof head, redesigned planetary drive, improved weights, ergonomic handle and vibration reduction ensure high durability and easy operation	18,900
	L25LES7	Lavina 25LES7 Planetary Grinder Lavina L25LES7 is a S7 series large compact planetary walk-behind grinder, designed for professional concrete grinding and polishing in medium projects. It offers a power of 11kW, working diameter of 655mm, 3x Ø 225mm heads, rotary speed of 400-1100rpm, working pressure of 155-240kg and weight of 400kg. New frame design, sealed and dust-proof head, redesigned planetary drive, ergonomic handle and vibration reduction ensure high durability, comfort of operation and effective power transmission	16,078  50% upfront 50% - 60 days
	L25ES7	Lavina 25ES7 Planetary Grinder Lavina L25ES7 is a S7 series medium compact planetary walk-behind grinder, designed for professional concrete grinding and polishing in medium and larger projects. It offers a power of 7.5kW, working diameter of 655mm, 3x Ø 225mm heads, rotary speed of 400-1100rpm and weight of 395kg. New frame design, sealed and dust-proof head, ergonomic handle, vibration reduction and quick tool replacement ensure durability, control and high comfort of operation	14,409  50% upfront 50% - 60 days
	L20ES7	Lavina 20ES7 Planetary Grinder Lavina L20ES7 is a S7 series compact planetary walk-behind grinder, perfect for professional concrete grinding and polishing in smaller and medium jobs. Equipped with 5.5kW motor, with working diameter of 510mm, Ø 225mm head, rotary speed of 400-1100rpm and weight of 225kg, it ensures stable and precise operation. New frame design, sealed and dust-proof head, enhanced planetary drive, vibration reduction and ergonomic handle ensure durability, easy operation and high comfort of use	9,428  50% upfront 50% - 60 days
	A2-L20	TQ GRIND Planetary Grinder A2-L20 is a compact professional planetary grinder for grinding, polishing and renovation of concrete and terrazzo. Equipped with 3kW (230V) motor, with working diameter of 500mm, 3x Ø 230mm head, adjustable rotary speed of 0-1800rpm and weight of 164kg, it ensures high precision and easy operation. Steel gearbox, floating heads, integrated weights, noise reduction and quick replacement of Lavina tools, make it a reliable solution for professional flooring works	4,526  50% upfront 50% - 60 days
	L16EU	Lavina 16EU Planetary Grinder Lavina 16EU is a professional three-head planetary grinder for grinding, polishing and preparation of concrete and screed floors on small and medium areas. Equipped with 2.2kW (230V) motor, with working diameter of 430mm, 3x Ø 178mm head with Quick Change system, rotary speed of 400-1000rpm and weight of 98kg, it ensures high precision, easy transportation and comfort of operation, with the option to connect a dust extractor	5,966  50% upfront 50% - 60 days

* ask for discount



+48 518 961 321 Technical Support



+48 786 864 361 Office

SINGLE-HEAD GRINDERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	L14EU	Lavina 14EU Single-Head Grinder Lavina 14EU is a light-weight compact single-head grinder for grinding, scraping and polishing concrete and screeds in smaller projects and renovation works. Equipped with 2.2kW (230V) motor, Ø 335mm (13") head, with adjustable rotary speed of 400-1000rpm, weight of 63kg and working pressure of 27kg, it allows for operation with 6 tools at a time in the Lavina QuickChange system and precise preparation of hard-to-reach areas by the walls	4,801
	VA-800195	VonArx FG250S Single-Head Grinder Von Arx FG250 is a professional walk-behind concrete grinder, designed for small and medium construction and renovation works. Equipped with 2.2kW (230V) motor, with working diameter of 250mm and weight of 59kg, it is excellent for coarse grinding, scraping of concrete and removing of adhesives, resins, polymers and paint coatings, offering high precision, reliability and easy operation	1,482  50% upfront 50% - 60 days
	FGE280	Tyrolit FGE280 Single-Head Grinder Tyrolit FGE280 is a compact walk-behind concrete grinder, designed for small and medium areas and removing adhesives and resin layers. Equipped with 2.2kW (230V) motor, with working width of 280mm, 1 head (1440rpm), weight of 76kg and with the option to use 3 or 6 Lavina tools, it delivers high working pressure and efficiency for its class, with possibility of connecting a dust extractor	2,317  50% upfront 50% - 60 days

* ask for discount

ORBITAL SINGLE-DISC MACHINES

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	MO500DS	ORBIT MAX Orbital Single-Disc Machine 510mm ORBIT MAX500DS is a professional orbital single-disc machine for deep cleaning, grinding, polishing and renovation of all floor types. Featuring oscillating motion 1400/2800, with working diameter of 510mm, 230V power supply, rotary speed of 0-90 / 180 rpm and weight of 68kg + 17kg of load, it ensures high performance, while reducing the operator's fatigue. Solid, heavy-weight design makes it a perfect tool for intensive professional use	3,275
	MO430DS	ORBIT MAX Orbital Single-Disc Machine 430mm ORBIT MAX is a professional orbital single-disc machine for deep cleaning, grinding, polishing and renovation of all floor types. Featuring oscillating motion 1400/2800, with working diameter of 430mm, rotary speed of 0-90 / 180 rpm, 15L water tank and weight of 65kg + 17kg of load, it ensures high performance with minimum operator's fatigue. Stable, heavy-weight design and easy handling make it an efficient and intuitive tool for intensive professional use	2,913  50% upfront 50% - 60 days

* ask for discount



+48 518 961 321 Technical Support



+48 786 864 361 Office

HIGH-SPEED POLISHERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	LB36G-S	LAVINA B36G-S Planetary High-Speed Gas Grinding and Polishing Machine Lavina B36G-S (B36GTS) is an advanced planetary grinding and polishing machine for grinding, deep cleaning and renovation of large concrete areas. As the world's first three-head high-speed machine it operates at 1666-3000rpm, is equipped with 3x Ø 14" (355mm) heads and is powered by Kawasaki gas (propane) motor with catalyst, which allows for safe operation in enclosed spaces while maintaining extremely high productivity	16,540  50% upfront 50% - 60 days
	420BU28BCV	Pioneer Eclipse 28" Single-Head High-Speed Gas Polisher Pioneer Eclipse 420BU28BCV is a professional high-speed grinder for intensive cleaning and renovation of large areas, powered by Kawasaki 18HP (603cm ³) motor. Provided with 12V electrical starter, catalytic muffler, EcoSense system and SAFR™ (Steady Air Fuel Ratio) technology, it ensures lower fuel consumption, emission reduction and constant operating parameters. CentriVac™ dust removal, metal anti-dust cover, RokBak™ platform and low profile guarantee high productivity, manoeuvrability and comfort of operation	7,165
	440BU21E	Pioneer Eclipse 21" Single-Head High-Speed Gas Polisher Pioneer Eclipse 420BU is a professional high-speed walk-behind grinder for cleaning, polishing and renovation of large areas, powered by Kawasaki 18HP (603cm ³) propane motor. It offers working width of 540mm (21"), 2000rpm, weight of 98kg, possibility of connecting a dust extractor, and advanced SAFR™, CentriVac™ & EcoSense technologies, which ensure constant operating parameters, lower fuel consumption and emission reduction. 12V electrical starter, catalytic muffler, low profile and high manoeuvrability make it a reliable tool for professional applications	5,901
	C1-L27	TQ Grind High Electric Single-Head High-Speed Polisher TQ Grind POL2 is a professional electric high-speed polisher for perfect finishing of surfaces, equipped with 7.5kW (380V) motor, with variable adjustment of rotary speed of 0-1800rpm, working width of 685mm and weight of 170kg. Integrated inverter, V-type drive, soft start, weights included and LED lighting ensure stability, full speed control and high efficiency when polishing large areas	3,471  50% upfront 50% - 60 days

* ask for discount




+48 518 961 321 Technical Support



+48 786 864 361 Office

DUAL HIGH-PROFILE POWER TROWELS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	BT1200D44TC	Beton Trowel 2×1200mm Power Trowel, Hydraulically-Controlled, Diesel An efficient Rider Diesel type power trowel for large concrete areas, equipped with Yanmar 44HP (EU Stage V) motor. Hydraulic control of the drive and angle of blades ensures precise control, and Heavy Duty gearboxes ensure durability and reliability. Rotary speed up to 195rpm, weight of 825kg, dimensions of 2540×1270×1360mm. Perfect for trowelling industrial concrete floors and large foundation slabs	41,445
	SP 8H	Superabrasive SP8H Power Trowel 2×1200mm, Hydraulically-Controlled SP8H Superabrasive is a ride-on, hydraulically-controlled power trowel, designed for the largest industrial investments. Equipped with Kubota WG1605 motor with 57HP (42.5kW) power, two Ø1200mm heads (2×5 blades), with working diameter of 2380mm and weight of 758kg, it ensures high pressure, fast trowelling and excellent surface quality. Hydraulic traction, integrated water spray system, LED lighting and ergonomic operator's platform ensure efficient, precise and comfortable operation in large-scale projects	39,058
	SP 8	Superabrasive SP8 Power Trowel 2×1200mm SP8 is an efficient, two-rotor ride-on power trowel for fresh concrete, intended for large-scale industrial projects. Equipped with Vanguard 993cm ³ (26kW / 35HP) motor, 2× Ø1136mm heads, with working width of 2385mm and weight of 560kg, it ensures fast and precise trowelling. Mechanical control, CVT clutch, water spray system. LED lighting and ergonomic operator's panel ensure smooth operation, high control and excellent finish quality on large concrete areas	22,997  50% upfront 50% - 60 days
	BT1200HH-37TC	Beton Trowel Power Trowel 2×1200mm, Hydraulically-Controlled BT1200HH37TC is an advanced hydraulically-controlled ride-on power trowel for preparation of fresh concrete on large industrial areas. Equipped with Vanguard 37HP motor, two 2×1200mm discs, with working width of 2540mm, 10 combi blades, rotary speed of 0-180rpm and weight of 540kg, it ensures high productivity, precision and consistent finish quality. Torque Clutch system, hydraulic traction, water spray, working lighting and ergonomic control ensure comfort, safety and reliability for the most demanding jobs	19,632
	BT1200H35TC	Beton Trowel Power Trowel 2×1200mm BT1200H35TC is an efficient ride-on power trowel for intensive operation on large concrete areas, equipped with Vanguard Twin Cylinder 35HP motor, two 2×1200mm discs, with working width of 2540mm, 10 combi blades, rotary speed of 0-180rpm and weight of 480kg. Torque Clutch system, manual control, water spray, working lighting and solid mechanical drive ensure variable control, high durability and consistent finish quality in industrial jobs	16,218  50% upfront 50% - 60 days
	BT900H-HPFH24.1	Beton Trowel Power Trowel 2×900mm, Hydraulically-Controlled BT900H-HPFH24.1 is a professional ride-on power trowel for intensive trowelling and finishing of large concrete areas. Equipped with Honda GX690 motor with 24HP power, hydraulic control, two discs 2×900mm, with working width of 1870mm, rotary speed of 0-150rpm and weight of 360kg, it ensures high productivity, smooth handling and excellent floor quality. Compatibility with FINISH, KOMBI, FLOAT & PLASTIK blades and Torque Clutch system guarantee full control and precision of operation in each phase of concrete trowelling	11,132  50% upfront 50% - 60 days
	BT900H24TC	Beton Trowel Power Trowel 2×900mm BT900H24TC is a professional ride-on power trowel for intensive trowelling of large concrete areas. Equipped with Honda GX690 motor with 26HP power, dual 2×900mm working unit, with rotary speed of 0-150rpm, mechanical control and weight of 315kg, it ensures high productivity, stability and precise concrete finishing. Torque Clutch system, solid gearbox and ergonomic control guarantee smooth operation and full control at each trowelling stage	8,220  50% upfront 50% - 60 days

* ask for discount



+48 518 961 321 Technical Support



+48 786 864 361 Office

DUAL LOW-PROFILE POWER TROWELS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	BT1200L	Beton Trowel Power Trowel 2x1200mm BT1200L is a professional, low-profile ride-on power trowel, designed for intensive operation on large concrete areas. Equipped with Vanguard 35HP motor, two 2x1200mm discs, with working diameter of 2540mm, rotary speed of 0-160rpm and weight of 400kg, it ensures high pressure, stability and perfect floor finishing. Low-profile construction, mechanical control and industrial design make it an ideal solution for halls with a limited height and large-scale projects requiring maximum productivity and precision	11,732
	BT900H-2PFH24	Beton Trowel Power Trowel, 2x900mm, Hydraulically-Controlled BT900H-2PFH24 is a professional, hydraulically-controlled ride-on power trowel, designed for large concrete areas, equipped with Honda GX690 (24HP) motor, dual 2x900mm working unit, with working diameter of 1895mm, rotary speed of 0-150rpm and weight of 325kg. Low seat, spray system, LED lighting and excellent balancing ensure precise steering, high operator's comfort and perfect floor finishing in halls, warehouses and parking lots	10,854
	BT900-2PFH24	Beton Trowel Power Trowel 2x900mm A solid, well-balanced construction facilitates machine handling and makes it possible to significantly shorten the time needed for preparation of concrete floors, while maintaining high surface finish quality. A professional ride-on power trowel designed for operation on large areas. Equipped with two rotors of 900mm in diameter and a reliable Honda GX690 motor with 24HP power, it ensures high productivity, stable operation and excellent floor finish quality. Perfect for concrete trowelling in industrial halls, warehouses, parking lots and commercial facilities	7,818  50% upfront 50% - 60 days

* ask for discount

CONCRETE EDGE TROWELS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	BT60E	Beton Trowel Electric Concrete Edge Power Trowel 600mm BT 60 E is a professional electric concrete edge power trowel for precise concrete finishing by the walls, columns, and in hard-to-reach areas. Equipped with 230V motor with 1.5kW power, inverter with variable rotary speed adjustment, and 4 blades, with working diameter of 600mm, it ensures full control, silent operation without fumes and high finish quality, perfect for indoor works and flooring details	2,335  50% upfront 50% - 60 days
	BT60H160	Beton Trowel Concrete Edge Power Trowel 600mm, Honda GX160, 5.5HP BT 60 Honda GX160 is a professional walk-behind power trowel for fresh concrete, designed for precise finishing of small and medium-size areas and working around edges. Equipped with Honda GX160 motor with 4kW power, 4 blades, with working diameter of 600mm, rotary speed of 70-150rpm and weight of 53kg, it ensures stable, efficient and safe operation, easy handling and high concrete finish quality during construction works	1,440  50% upfront 50% - 60 days
	BT90H270	Gasoline Power Trowel 900mm with Honda GX270, 8HP motor BT90H270 is a solid, professional edge power trowel for fresh concrete, designed with high efficiency, durability and easy operation in mind. Equipped with a reliable Honda GX270 motor with 9HP power, 4 working arms, with operating width of 900mm and weight of 82kg, it ensures excellent balancing, stability and precise floor finishing. The adjustable handle increases operator's comfort, and safety switch automatically stops the motor if control over the machine is lost, making it a perfect solution for small and medium-size construction jobs	2,096  50% upfront 50% - 60 days

* ask for discount





+48 518 961 321 Technical Support



+48 786 864 361 Office

POWER TROWEL BLADES

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	SBF618M	for F-1200mm FINISH, Superabrasive Blue Steel (M8 thread) Professional Superabrasive blades for concrete trowelling made of high-quality Blue Steel, designed for medium and large power trowels. With 34% higher wear resistance (as compared with standard steels of the same thickness), higher flexibility and resilience, they make it possible to shorten the trowelling time significantly and ensure better surface finishing quality. Dimensions: 152×457×1.6mm (thickness), Adapter: M8 thread, Use: all power trowel types, Packaging: 4-piece set. (price for 1 piece)	15
	SBC818M	for F-1200mm COMBI, Superabrasive Blue Steel (M8 thread) Professional Superabrasive blades for concrete trowelling made of the highest-quality Blue Steel, designed for medium and large power trowels. This material features 34% higher wear resistance (test-proven), higher flexibility and resilience compared with standard blades, which allows finishing a concrete surface faster and more precisely and extend life of the parts. Dimensions: 203×457×1.9mm, Adapter: M8 thread, Compatibility: all power trowel types, Packaging: 4-piece set. (price for 1 piece)	17
	SBF614M	for F-900mm FINISH-UNIVERSAL, Superabrasive Blue Steel (M8 thread) Professional Superabrasive blades for concrete trowelling made of high-quality Blue Steel, designed for medium and larger power trowels. With 34% higher wear resistance (test-proven), higher flexibility and resilience, they allow for faster and more precise trowelling and extend life of the parts. Dimensions: 153×356×1.6mm, Adapter: M8 thread, Compatibility: all power trowel types, Packaging: 4-piece set. (price for 1 piece)	11
	SBC4759M105	for F-600 mm Universal, Superabrasive Blue Steel, 105mm between bolts Professional Superabrasive blades for concrete trowelling, made of Blue Steel with 34% higher wear resistance, ensuring faster operation and better finish quality. Dimensions: 120×215×1.2mm, M8 adapter, compatible with all power trowels, delivered in packaging with a 4-piece set. (price for 1 piece)	8
	SBC4759M100	for F-600 mm Universal, Superabrasive Blue Steel, 100mm between bolts Professional Superabrasive blades for concrete trowelling, made of Blue Steel with 34% higher wear resistance, ensuring faster operation and better finish quality. Dimensions: 120×215×1.2mm, M8 adapter, compatible with all power trowels, delivered in packaging with a 4-piece set. (price for 1 piece)	8



POWER TROWEL BLADES

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	F60412-1	Blades for Power Trowel 600mm (4$\frac{3}{4}$"$\times$9") made of resistant steel, ensuring uniform trowelling and long life during intensive operation. Compatible with the following models: BT60, BARTELL, BARIKELL, B-MAC, WACKER, ALTRAD, BELLE & PACLITE Price for set of 4 pieces	23
	F90416	Blades for Power Trowel 900mm (6"$\times$14") made of resistant steel with a thickness of 1.6mm, ensuring uniform trowelling and long life during intensive operation. Compatible with the following models: BT90, BARTELL, BARIKELL, B-MAC, WACKER, MULTIQUIP, ALLEN, ALTRAD, BELLE & PACLITE Price for set of 4 pieces	30
	F90419	Blades for Power Trowel 900mm (6"$\times$14") LONG LIFE made of resistant steel with a thickness of 1.9mm, ensuring increased durability, uniform trowelling and long life during intensive operation. Compatible with the following models: BT90, BARTELL, BARIKELL, B-MAC, WACKER, MULTIQUIP, ALLEN, ALTRAD, BELLE & PACLITE Price for set of 4 pieces	34
	F120416	Blades for Power Trowel 1200mm (6"$\times$18") made of resistant steel with a thickness of 1.6mm, ensuring uniform trowelling and long life during intensive operation. Compatible with the following models: BT120, MULTIQUIP, WACKER, ALLEN, BARTELL, B-MAC, ALTRAD, BELLE & PACLITE Price for set of 4 pieces	36
	F120419	Blades for Power Trowel 1200mm (6"$\times$18") LONG LIFE made of resistant steel with a thickness of 1.9mm, ensuring increased durability, uniform trowelling and long life during intensive operation. Compatible with the following models: BT120, MULTIQUIP, WACKER, ALLEN, BARTELL, B-MAC, ALTRAD, BELLE & PACLITE Price for set of 4 pieces	41
	F120419LB	Blades for Power Trowel 1200mm (6"$\times$18") HEAVY DUTY made of resistant steel with a thickness of 1.9mm, designed for intensive use and operation in demanding conditions. Compatible with the following models: BARTELL TS100, BARTELL HTX, MULTIQUIP HTX & BT Diesel Rider Price for set of 4 pieces	44




POWER TROWEL BLADES

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	F120416MK10	Blades for Barikell Power Trowel 1200mm (6"×18") made of resistant steel, ensuring uniform trowelling and long life during intensive operation. Designed for BARIKELL MK8 with 10mm bolt adapter Price for set of 4 pieces	41
	F90416MK10	Blades for Barikell Power Trowel 900mm (6"×14") made of resistant steel, ensuring uniform trowelling and long life during intensive operation. Designed for BARIKELL MK8 with 10mm bolt adapter Price for set of 4 pieces	31
	C90419	COMBI Blades for Power Trowel 900mm (8"×14") made of resistant steel, allowing for simultaneous trowelling and finishing of concrete surfaces and ensuring long life during intensive operation. Compatible with the following models: BT90, BARTELL, BARIKELL, B-MAC, WACKER, MULTIQUIP, ALLEN, ALTRAD, BELLE & PACLITE Price for set of 4 pieces	42
	C120419	COMBI Blades for Power Trowel 1200mm (8"×18") made of resistant steel, allowing for simultaneous trowelling and finishing of concrete surfaces and ensuring long life during intensive operation. Compatible with the following models: BT120, MULTIQUIP, WACKER, ALLEN, BARTELL, B-MAC, ALTRAD, BELLE & PACLITE Price for set of 4 pieces	53
	F90416PR	FINISH Plastic Blades for Power Trowel 900mm (6"×14") made of white plastic and featuring steel base, designed for ride-on power trowels. Ensure fine concrete surface finish, without leaving any traces. Compatible with the following models: BT900, BARIKELL, ALTRAD, BELLE, PACLITE, WACKER, MULTIQUIP, ALLEN, B-MAC and BARTELL Price for set of 4 pieces	73
	F120416PR	FINISH Plastic Blades for Power Trowel 1200mm (6"×18") made of white plastic and featuring steel base, designed for ride-on power trowels. Ensure fine concrete surface finish, without leaving any traces. Compatible with the following models: BT120, MULTIQUIP, WACKER, ALLEN, BARTELL, B-MAC, ALTRAD, BELLE & PACLITE Price for set of 4 pieces	95



POWER TROWEL PANS (DISCS)

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	SPF46HD5Z	for F-1200mm Premium Pan 1180mm for Power Trowel 1200mm (5 blades), 4mm Thickness Premium Lavina pan is a professional disc for concrete trowelling, designed for 1200mm / 5-blade power trowels. Made of high-quality steel of 4mm in thickness, it ensures high durability, stable operation and uniform finish of large areas. 1180mm diameter makes it possible to significantly speed up completion of works, and wide compatibility with machines of such brands as Barikell, Bartell, Allen, Wacker Neuson, Husqvarna, Enar, Whiteman, Beton Trowel makes it a universal choice for professional contractors	141
	SPF465Z	for F-1200mm Premium Pan 1180mm for 1200mm (5 blades) Power Trowel, 3mm Thickness A professional Lavina pan for trowelling of concrete, with 1180mm diameter, designed for 1200mm / 5-blade power trowels. Made of high-quality steel of 3mm in thickness, it ensures good durability, stable operation and uniform finish of large areas. Compatible with many power trowel brands (such as Barikell, Bartell, Allen, Wacker Neuson, Husqvarna, Enar, Whiteman), provides a universal and effective solution for professional applications	115
 25 pcs	SPF465Z-25	for F-1200mm Premium Pans 1180mm for 1200mm (5 blades) Power Trowel Professional Lavina pans, 25 pieces (one pallet) for concrete trowelling with 1180mm diameter, designed for 1200mm / 5-blade power trowels - a perfect choice for teams completing lots of trowelling. Pans are made of high-quality steel of 3mm in thickness, which ensures good durability, stable operation and uniform finish of large areas. Compatible with many power trowel brands (such as Barikell, Bartell, Allen, Wacker Neuson, Husqvarna, Enar, Whiteman), provide an effective and universal solution for professional applications	2,597 
	TZ01200-4	for F-1200mm Premium Pan 1180mm for 1200mm (4 blades) Power Trowel, 3mm Thickness A professional pan for trowelling of concrete, with 1180mm diameter, designed for 1200mm / 4-blade power trowels. Made of high-quality steel of 3mm in thickness, it ensures durability, stable operation and uniform finish of large concrete areas.	111
	TZ0980-4	for F-980mm Premium Pan 980mm for 980mm (4 blades) Power Trowel, 2.6mm Thickness A professional pan for trowelling of concrete, with 980mm diameter, designed for 980mm / 4-blade power trowels. Made of high-quality steel of 2.6mm in thickness, it ensures durability, stable operation and uniform finish of concrete areas.	99
	TZ0600G	TZ0600G Galvanised Pan 600mm, 4 Blades Galvanised stainless steel pan with a thickness of 2mm, designed for 600mm power trowels with 4 blades. Provides high corrosion resistance, durability and stable operation when trowelling and finishing concrete surfaces	45
	TZ0600B	TZ0600B Wear-Resistant Steel Pan 600mm, 4 Blades TZ0600B is a resistant pan for 600mm power trowel, made of wear-resistant steel with a thickness of 2.5mm, designed for 4-blade machines. Ensures high resistance to wear, stable operation and uniform concrete surface finish	45


[ask for discount](#)


+48 518 961 321 Technical Support



+48 786 864 361 Office

PANS (DISCS) & HEADS FOR CONCRETE POLISHING FOR POWER TROWELS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	TZ0600-4XQC	do F-600mm Disc for Power Trowel 600mm - 4 XQC Lavina Holders A professional 600mm disc for power trowels, equipped with 4 Lavina QuickChange (XQC) holders, allowing for quick mounting of tools for concrete grinding and polishing. Made of high-grade steel, ensuring long life and stable operation. Designed for the Trowel Shine technology, it allows transforming a power trowel into a grinding and polishing machine in a simple way, and significantly extend the array of services rendered	221
	TZ0600-BF	for F-600mm Disc for Power Trowel 600mm - 24 Velcro Fasteners (Washing with Pad, Final Polishing) A professional 600mm disc for power trowels, galvanised, with 24 Velcro fasteners, designed for scrubbing or final polishing of concrete. Allows for quick mounting of diamond or regular pads, transformation of power trowel into polisher or scrubber. Made of high-grade steel, and provides durability and stable operation in the Trowel Shine technology	100
	TZ0920-2XQC12.4B	Set of Discs for Concrete Polishing for Power Trowel 2x920mm - 12 XQC Lavina Holders A professional set of 2x 920mm discs with 12 Lavina QuickChange (XQC) holders on each disc, designed for the Trowel Shine concrete grinding and polishing technology. Allows for quick mounting of metal and plastic tools and fast transformation of power trowel into a concrete grinding and polishing machine. Made of high-grade steel, they guarantee long life, stable operation and instantaneous tool replacement in the Superabrasive QuickChange system.	1,281
	TZ0970-2XQC12.4B	Set of Discs for Concrete Polishing for Power Trowel 2x970mm - 12 XQC Lavina Holders A professional set of 2x 970mm discs with 12 Lavina QuickChange (XQC) holders on each disc, designed for the Trowel Shine concrete grinding and polishing technology. Allows for quick mounting of metal and plastic tools and fast transformation of power trowel into a concrete grinding and polishing machine. Made of high-grade steel, they guarantee long life, stable operation and instantaneous tool replacement in the Superabrasive QuickChange system.	1,281
	TZ1200R-8	Set of Discs for Power Trowel 2x1170 / 2x1200mm - 8 Rotary Heads A professional set of two discs for 1170mm or 1200mm power trowels, equipped with 4 rotary heads with Velcro fastener on each disc. Allows for quick mounting of polishing tools and transformation of power trowel into a concrete grinding and polishing machine. Discs made of high-grade steel ensure durability and stable operation, and the Trowel Shine system guarantees efficiency and flexibility in completion of consequent preparation stages. The set includes discs and heads (without tools)	3,553
	TZ0920R-8	Set of Discs for Power Trowel 2x920/940/970mm - 8 Rotary Heads (Velcro Strip) A professional set of two discs for power trowels 920mm, 940 mm or 970 mm, equipped with 4 rotary heads with Velcro fastener on each disc. Allows for quick mounting of polishing tools and transformation of power trowel into a concrete grinding and polishing machine. Discs made of high-grade steel provide durability and stable operation, and the Trowel Shine technology guarantees high efficiency and flexibility of applications. The set includes discs and heads (without tools)	3,386
	TZ1170R-10	Set of Discs for Power Trowel 2x1170/1230mm - 10 Rotary Heads (Velcro Fastener) A professional set of two discs for power trowels 1170mm (5 heads) or 1230mm (5 heads), equipped with rotary heads with Velcro fastener, designed for the Trowel Shine technology. Allows for quick transformation of power trowel into a concrete grinding and polishing machine. Discs made of high-grade steel ensure durability and stable operation; the set includes discs and heads (without tools)	4,093

* ask for discount

PANS (DISCS) & HEADS FOR CONCRETE POLISHING FOR POWER TROWELS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	P02-FP-14	Trowel Shine RH 14" Rotary Head with Velcro Fastener RH 14" (355mm) rotary head is designed for the Trowel Shine system, and allows for mounting of polishing tools with a Velcro fastener and transformation of power trowels (also dual ones) into concrete polishing machines. Equipped with replaceable damping rubber layer, mounted on the disc with four bolts. Compatible with WAFF 14" tools, Suprashine 14" / HP 14" and V-Harr 14" diamond pads. Provides quick mounting, effective polishing and cleaning of concrete floors	385
	XC-HOLDER	QUICKCHANGE Universal Adapter for Diamond Tools Universal mounting adapter compatible with the Lavina QuickChange system and Superabrasive tools. Allows for quick and secure mounting of diamond segments, hybrid or plastic tools on mounting plate, power trowel disc or head. Provided with three mounting holes, it ensures stable fastening and efficient change of tools during operation	38

DUST EXTRACTORS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	V16EU	Lavina V16EU - Wet / Dry Dust Extractor A compact 230V / 1.15kW dust extractor for wet and dry work, perfect for sucking liquids and slurry. Flow of 160m³/h, stainless steel body, washable hydrophobic filter and automatic switching off after overfilling, ensure reliable operation in construction and flooring applications	2,358
	VA-S201EU	Von Arx S201-EU - Dust Extractor A professional dust extractor for work with dry fine concrete dust, equipped with two 2x1200W (230V) motors, with airflow of 400m³/h, HEPA filter and Longopac bag system. JET PLUS filter cleaning system ensures high efficiency and longer device life. Weighs 52kg. Ideal for use with concrete scarifiers, grinders and polishers	2,057  50% upfront 50% - 60 days
	VA-S301EU	Von Arx S301EU - Dust Extractor An efficient dust extractor for work with concrete dust, equipped with 3 motors (3x1200W, with a total power of 3.6kW), with airflow of 600m³/h, main filter 4.5m² and HEPA filter 3.6m². Jet Pulse filter cleaning system and Longopac bag ensure high performance and safe, dust-free bag replacement. 230V power supply, 15A consumption, weight of 75kg. A professional solution for operation with concrete scarifiers, grinders and polishers	3,219  50% upfront 50% - 60 days
	LV650EU	Lavina LV650EU - Dust Extractor An efficient 230V / 3.3kW (3 motors) dust extractor designed for operation with large concrete scarifiers and grinders. Equipped with main filter 4m² + HEPA filter, Longopac bag system and manual filter cleaning. Airflow of 386CFM, 63mm (10m) & 50mm (6.6m) hoses, weight of 140kg. A professional solution for intensive work with concrete dust	4,877  50% upfront 50% - 60 days

[ask for discount](#)


+48 518 961 321 Technical Support



+48 786 864 361 Office

DUST EXTRACTORS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	VA-T601EU	Von Arx T6 - 400V Dust Extractor A highly efficient 400V dust extractor, designed for cooperation with large concrete scarifiers and grinders. Equipped with 2 motors with 3kW power each (a total of 6kW / 8HP), with airflow of 630m³/h, filter with an area of 5m² and HEPA filter. Longopac bag system ensures dust-free bag replacement, and solid construction (weight of 210kg) guarantees stable operation in industrial conditions. Perfect for intensive suction of concrete dust	7,792
	V32EU	Lavina V32EU - 400V Dust Extractor A highly efficient 400V / 7.5kW dust extractor, designed for large jobs and intensive work with concrete dust. Equipped with HEPA filter in standard, Longopac bag system and manual bag cleaning function. Current consumption of 16.9A. Construction with dual separation of the material (fine and coarse fractions) and increased area of the filters ensure high suction efficiency. Perfect for operation with large concrete scarifiers or grinders	10,070
	VA-75002041	Von Arx T10 - 400V Dust Extractor The most powerful dust extractor in the offer, designed for cooperation with large concrete scarifiers and grinders. 400V power supply, 10kW power, airflow of 900m³/h, filter with an area of 5.0m² and HEPA filter in standard. Equipped with Longopac bag system ensuring dust-free bag replacement. Solid construction (365kg) guarantees stable and efficient operation in the most difficult industrial conditions	14,239

PRE-SEPARATORS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	VA-C301	C3 Dust Pre-Separator for Von Arx Dust Extractors A cyclone pre-separator for dust extractors. It separates dust and heavy fractions upstream the filter, increasing operating efficiency and extending the filter life. Designed for works involving concrete grinding and scarifying	1,281
	VA-800170	C5 BIG BAG Dust Pre-Separator for Von Arx Dust Extractors A cyclone pre-separator with BIG BAG system for continuous operation. Designed for work with dust extractors when large amounts of dust are present. It allows for direct removal of the material to big-bags, increasing operating efficiency and reducing downtimes, weight of 78kg	3,642 
	VA-75102051	C5 Dust Pre-Separator for Von Arx Dust Extractors A cyclone pre-separator for dust extractors. It effectively separates dust and heavy fractions upstream the filter, increasing extraction efficiency and extending life of the filters. Designed for concrete grinding and scarifying works, weight of 75kg	2,547 

* ask for discount




+48 518 961 321 Technical Support



+48 786 864 361 Office

SCARIFIERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	VA-701449G	Von Arx FR 200 - Scarifier 230V A compact 230V / 2.2kW (3HP) electric scarifier with a working width of 200mm, designed for concrete scarifying, removal of coatings, markings and surface preparation. Productivity of 35-40m ² /h, scarifying depth in soft concrete is 3mm, weight of 59.7kg. Equipped with depth adjustment and possibility of operation with various cutter types. Recommended work with dust extractors. Perfect for renovation works and preparation of surface for new coatings	2,540  50% upfront 50% - 60 days
	VA-701436G	Von Arx FR200 Honda - Gasoline Scarifier A professional concrete scarifier with Honda 4kW / 5.3HP motor, designed for scarifying and removal of coatings on small or medium areas. Working width of 200mm, scarifying depth in soft concrete is 3mm, productivity of 35-40m ² /h. Gasoline-powered, hydraulic traction, weight of 56kg, dimensions of 1100x380x970mm. A mobile and efficient solution for construction, road works and preparation of surface for new coatings	2,614  50% upfront 50% - 60 days
	VA-702311	Von Arx VA 10 L - Electric Scarifier A compact electric scarifier for professionals, designed for concrete scarifying, removal of coatings, markings and preparation of surface for new systems. Equipped with depth adjustment and possibility of operation with various cutter types (pentagonal, hexagonal, beam-type, milling-type, steel brushes). Recommended operation with 230V dust extractor. Perfect for renovation works and small concrete areas, 1-year warranty and service available in Poland	2,394
	VA-707533	Von Arx VA-30 SH - Gasoline Scarifier A professional concrete scarifier with a working width of 300mm, designed for intensive works on large areas. 8.2kW gasoline motor, hydraulic traction, weight of 310kg. Scarifying depth of up to 10mm in soft concrete and 7mm in hard concrete, productivity of 50-55m ² /h. Equipped with depth adjustment and possibility of operation with various cutter types (octagonal, bihexagonal, beam-type). Perfect for removal of coatings, levelling and preparation of surface for new systems. 1-year warranty, service and parts available in Poland	15,728
	VA-706267	Von Arx VA-30 S 400V - Electric Scarifier, Mechanical Traction A professional 400V / 7.5kW electric scarifier with a working width of 300mm, designed for intensive operation on large concrete areas. Productivity of 50-55m ² /h, scarifying depth of 9mm in soft concrete and 6mm in hard concrete, weight of 222.8kg. Equipped with depth adjustment and possibility of operation with various cutter types (octagonal, bihexagonal, beam-type). Perfect for removal of coatings, levelling and preparation of surface for new systems, compatible with dust extractors. 1-year warranty, service available in Poland	9,855
	VA-707199	Von Arx VA-30 SH 400V - Electric Scarifier with Hydraulic Traction A professional 400V / 7.5kW scarifier with a working width of 300mm, equipped with hydraulic traction to ensure variable speed adjustment and high precision of operation. Scarifying depth of up to 10mm in soft concrete and 7mm in hard concrete, productivity of 50-55m ² /h, weight of 305.4kg, current consumption of 16A. Designed for removal of coatings, levelling and preparation of surface on large industrial areas. Equipped with depth adjustment and vibration damping system, compatible with dust extractors. 1-year warranty, service available in Poland	15,595  50% upfront 50% - 60 days
	VA-800112	Von Arx VA-35 SH - Electric Scarifier 400V with Hydraulic Traction A professional 400V / 11kW scarifier with a working width of 350mm, equipped with hydraulic traction to ensure variable adjustment and high efficiency of operation. Scarifying depth of up to 11mm in soft concrete and 8mm in hard concrete, productivity of 60-65m ² /h, weight of 346kg. Designed for scarifying, removal of coatings, levelling and lowering the level of concrete floors on large industrial areas. Depth adjustment, compatibility with dust extractors, 1-year warranty and service in Poland	17,084

* ask for discount



+48 518 961 321 Technical Support



+48 786 864 361 Office

	VA-700552	Von Arx DK 7 H - Pneumatic Bush Hammer A professional pneumatic bush hammer for preparation of metal, concrete and stone, designed for roughening, removal of dirt, cement laitance and preparation of surface for resins and coatings. Air consumption of 1120L/min (39CFM), max. pressure of 7bar (100psi), weight of 47kg, dimensions of 950×350×950mm. Ensures a uniform surface structure, low vibrations and comfort of operation, perfect for floors, stairs, ramps and vertical surfaces	2,684
---	------------------	--	--------------

SHAVERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	VA-708697	Von Arx DTF 25 SH 400V - Shaver A professional 400V / 11kW electric shaver with a working width of 250mm, equipped with hydraulic traction to ensure variable and precise operation. Shaving depth of up to 12mm in soft concrete and 10mm in hard concrete, productivity of 45-50m ² /h, weight of 223.2kg. Designed for concrete shaving, removal of coatings and preparation of concrete surfaces for new systems. Perfect for industrial applications and intensive work in large facilities	18,057
	VA-800076	Von Arx DTF 25 SH LPG Honda - Gas (Propane) Shaver A high-efficiency concrete shaver with Honda 22HP (16.5kW) propane (LPG)-powered motor, equipped with hydraulic traction to ensure variable adjustment and precise steering. Working width of 250mm, shaving depth of up to 12mm in soft concrete and 10mm in hard concrete, productivity of 50-55m ² /h, weight of 240kg. Designed for intensive industrial work, removal of coatings and preparation of surface on large areas	23,243
	VA-800076V	Von Arx DTF 25 SH LPG Vanguard - Gas (Propane) Shaver A professional concrete shaver with Vanguard 23kW / 31HP propane (LPG)-powered motor, equipped with hydraulic traction to ensure variable speed adjustment and precise steering. Working width of 250mm, shaving depth of up to 12mm in soft concrete and 10mm in hard concrete, productivity of up to 90m ² /h, weight of 240kg. Designed for intensive removal of coatings, shaving and preparation of surface on large industrial areas	23,243
	VA-800024	Von Arx DTF 35 SH 15kW - Electric Shaver 400V A professional concrete shaver with a working width of 350mm, powered with 15kW (3×400V, 50Hz) motor. Equipped with hydraulic traction to ensure variable speed adjustment and precise steering. Productivity of up to 20m ² /h, weight of 307kg guarantees stability and effective removal of coatings and intensive preparation of surface on large industrial areas	18,617
	VA-800072	Von Arx DTF 35 SH 22kW - Electric Shaver 400V A professional concrete shaver with a working width of 350mm, equipped with a powerful 22kW (3×400V, 50Hz) motor and hydraulic traction to ensure variable speed adjustment and precise steering. Productivity of up to 60m ² /h allows for fast removal of coatings, shaving and intensive preparation of surface on large industrial areas. Solid construction with a weight of 410kg ensures stability, uniform operation and high performance even in demanding construction conditions	19,524
	VA-800025	Von Arx DTF 35 SH LPG - Hydraulic Propane Shaver	25,518



FLOOR SCRAPERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	VA-800071	Von Arx SC 20 - Small Electric Floor Scraper 230V A compact and light-weight concrete floor scraper with a power of 1.5kW, designed for work on small and medium areas. Working diameter of 200-230mm enables effective removal of coatings, adhesives, resins and preparation of surface for new coatings. 230V power supply allows for operation in standard construction conditions, and the weight of 35.9kg ensures easy transportation and comfortable manoeuvring. A perfect solution for repair, renovation works and preparation of surface in industrial and commercial facilities	2,026
	VA-800074	VonArx SC 25 - Electric Floor Scraper 230V A professional machine for intensive removal of coatings, adhesives, resins and preparation of concrete surface for new coatings. Equipped with 1.5kW motor and with a working diameter of 250-270mm, it ensures high productivity on small and medium areas. 230V power supply allows for operation in standard construction conditions, and solid construction and a weight of 155kg ensure stability and effective preparation. Perfect for industrial and renovation applications	6,481
	VA-800077	Von Arx SC 35 - Electric Floor Scraper 230V An efficient machine for aggressive removal of coatings, adhesives, resins and preparation of concrete surface on larger areas. Equipped with 1.5kW motor and with a working width of 350-370mm, it ensures high operating performance with 230V power supply. Solid construction and a weight of 234kg guarantee stability, uniform preparation and effective material removal. Perfect for industrial, renovation applications and preparation of floors for new coating systems	7,204 

* ask for discount

SHOT BLASTERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	VA-101210001	Von Arx S210E Electric Shot Blaster 230V A compact 230V single-phase shot blaster with the Inline Separation system, ensuring higher operating efficiency. Working width of 200mm, power of 2.4kW, productivity of up to 40m ² /h. The weight of 50kg enables easy manoeuvring in small and medium spaces (garages, corridors, stairs). Recommended operation with Von Arx S3 dust extractor	6,488 
	VA-101210003	Von Arx S210E40R Electric Self-Propelled Shot Blaster 400V A compact and efficient mobile shot blaster designed for work on small and medium concrete areas. Equipped with a powerful motor, turbines and drive with travel speed adjustment, it ensures high efficiency of shot blasting and uniform surface profile. An improved shot separation system increases operating performance and limits material losses. Working width of 20cm, productivity of up to 80m ² /h, self-propelled drive, speed of 0-25m/min, weight of 125kg, 76mm dust extractor connection. Recommended operation with class S3 dust extractor	13,621 
	VA-101270003	Von Arx S270E75R Electric Self-Propelled Shot Blaster 400V A compact, self-propelled shot blaster with a power of 7.5kW for preparation of medium-size level areas. Working width of 270mm, productivity of up to 140m ² /h, adjustable travel speed of 0-24m/min. The weight of 170kg ensures optimum pressure to the surface and stable operation. It can also be used as an edge machine. Very good shot separation, powerful drive and ergonomic, adjustable handle with control panel. Recommended operation with Von Arx DC2725 dust extractor	18,458

* ask for discount



+48 518 961 321 Technical Support



+48 786 864 361 Office

SHOT BLASTERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	VA-101320001	Von Arx S320E Electric Self-Propelled Shot Blaster 400V A compact and efficient shot blaster for medium level areas. Working width of 320mm, power of 11kW, self-propelled drive with speed adjustment of 0-30m/min and productivity of up to 200m ² /h ensure high operating performance. It is equipped with "Side-Force" system with increased wear resistance, fast transport lifting and "Lift Lock" system for operation of the tank. 130mm connection, recommended operation with Von Arx DC3324 dust extractor	28,546
	VA-101410001	Von Arx S410E Electric Self-Propelled Shot Blaster 400V A professional, self-propelled shot blaster with a power of 15kW for medium and large level areas. Working width of 410mm, productivity of up to 260m ² /h, adjustable travel speed of 0-38m/min. The weight of 485kg ensures stability and effective concrete profiling. The "Lift Lock" system facilitates operation of the tank, and the new "Side-Force" system increases wear resistance. Recommended operation with Von Arx DC4025 dust extractor	37,256
	VA-101600001	Von Arx S600E Electric Self-Propelled Shot Blaster 400V A professional shot blaster with a working width of 600mm and power of 22kW, designed for intensive work on medium and large concrete areas. Productivity of up to 400m ² /h, self-propelled drive with speed adjustment of 0-38m/min, weight of 525kg. Equipped with the Lift Lock system, reinforced Side-Force system and adjustable handle with control panel. Requires a dust extractor (150mm connection)	44,371
	VA-101750001	Von Arx S750E Electric Self-Propelled Shot Blaster 400V A professional, self-propelled shot blaster with a very high efficiency, designed for medium and large level areas. Working width of 750mm, shot blasting power of 2x15kW and productivity of up to 500m ² /h ensure fast and uniform concrete and asphalt profiling. Adjustable travel speed of 0-38m/min, weight of 748kg and optimised balancing guarantee stability and operating performance. The "Lift Lock" system facilitates operation of the tank, the "Side-Force" system increases wear resistance, and a powerful drive with brake provides full control. Recommended operation with Von Arx DC5020 dust extractor	57,093

DUST EXTRACTORS FOR SHOT-BLASTING MACHINES

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	VA-104000061	Von Arx DC2725 - Dust Extractor A compact and very efficient dust extractor designed for operation with shot blasters and medium and large area surface preparation machines. Airflow of 1000m ³ /h, automatic filter cleaning and filtration area of 27.5m ² (5 filters) ensure an effective separation of fine concrete dust. 105L tank, 130mm connection and electropneumatic compressor adjustment guarantee stable and efficient operation. 4kW power, 3-phase power supply	14,212
	VA-104000058	Von Arx DC3324 - Dust Extractor A compact and efficient dust extractor for operation with medium and large area surface preparation machines. Airflow of 1200m ³ /h, 6 filters with a total area of 33m ² and automatic cleaning system ensure constant, high dust removal efficiency. 105L tank, 130mm connection and solid construction guarantee a reliable operation in demanding construction conditions. 5.5kW (400V/480V, 3-phase) motor	21,066



DUST EXTRACTORS FOR SHOT-BLASTING MACHINES

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	VA-104000069	Von Arx DC3324-LP - Dust Extractor A compact and exceptionally efficient dust extractor designed for operation with medium and large area surface preparation machines. Airflow of 1200m ³ /h, 6 filters with a total area of 33m ² and automatic cleaning system ensure constant efficiency with an intensive dusting. Longopac x2 system enables safe and hygienic material removal. 5.5kW (3-phase 400V / 480V / 3x240V) power, 130mm connection, weight of 330kg	21,178
	VA-104000060	Von Arx DC4025 - Dust Extractor An efficient, professional dust extractor designed for operation with shot blasters, scarifiers and other medium and large area surface preparation machines. Airflow of 1300m ³ /h, 8 filters with a total area of 44.8m ² and automatic cleaning system ensure effective and constant operation without a drop in efficiency. Large 200L tank, 150mm connection and electropneumatic compressor adjustment guarantee effective dust removal in case of intensive jobs. 5.5kW (400V/480V, 3-phase) power	27,460
	VA-104000066	Von Arx DC4025-LP - Dust Extractor A professional dust extractor for operation with medium and large area surface preparation machines. Efficiency of 1300m ³ /h, 8 filters with a total area of 44.8m ² and automatic cleaning system guarantee a constant suction power in case of intensive dusting. Longopac x4 system ensures safe and comfortable dust removal. 150mm connection, weight of 460kg. A compact design without protruding elements, two detachable parts, transport holders and electropneumatic compressor adjustment increase mobility and comfort of use on construction site	27,460
	VA-104000029	Von Arx DC5020 - Dust Extractor A very efficient dust extractor designed for operation with medium and large area surface preparation machines. Airflow of 1640m ³ /h, 9 filters with a total area of 45m ² and automatic cleaning system ensure stable and effective operation in case of intensive dusting. 200L tank, 150mm connection, weight of 450kg. A compact design without protruding elements, lifting holders, electropneumatic compressor adjustment and replaceable hose connection guarantee high mobility and comfort of use on construction site	29,262

XQC METAL DIAMOND TOOLS (CONCRETE GRINDING)

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	PICK SET	MOHS Deluxe Set Hardness Tester - Set to Determine Hardness of Concrete on the Mohs Scale Allows for quick and simple checking of surface hardness. The test involves scratching a concrete surface using styluses of different hardness to determine its parameters. The result allows for selection of adequate diamond tools for concrete grinding	201
	EX15	EX15 - Single (Rhombus) Diamond Segment, Designation Colour: Blue, Grit Size: 25 Grit EX15 diamond segment with single rhombus-shaped segment, designed for small grinders. Designed for use on soft concrete - features very hard bond for abrasive materials and high diamond concentration, which ensures long life and stable grinding efficiency	18
	EX25	EX25 - Double (Rhombus) Diamond Segment, Designation Colour: Blue, Grit Size: 25 Grit EX25 diamond segment with double rhombus-shaped segment, designed for small and medium grinders. Dedicated for work on soft concrete - features very hard bond for abrasive materials and high diamond concentration, which ensures increased efficiency, longer life and stable operation during intensive grinding	32




XQC METAL DIAMOND TOOLS (CONCRETE GRINDING)

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	EX3S	EX3S - Triple (Rhombus) Diamond Segment, Designation Colour: Blue, Grit Size: 25 Grit EX3S diamond segment with triple rhombus-shaped segment, designed for medium and large grinders. Intended for work on soft and abrasive concrete - features very hard bond for abrasive materials and high diamond concentration, which ensures aggressive, efficient grinding and increased efficiency, long tool life	43
	EX4S	EX4S - Quadruple (Rhombus) Diamond Segment, Designation Colour: Blue, Grit Size: 25 Grit EX4S diamond segment with four rhombus-shaped segments, designed for large grinders and work on very soft, abrasive concrete - features very hard bond and high diamond concentration, which ensures efficiency, long life and stable, aggressive operation during intensive grinding of large areas	55
	EX1	EX1 - Single (Rhombus) Diamond Segment, Designation Colour: Yellow, Grit Size: 25 Grit EX1 diamond segment with single rhombus-shaped segment, designed for small grinders. Dedicated for work on soft and medium-hard concrete - features hard bond for abrasive materials and high diamond concentration, which ensures long life, stable efficiency and uniform grinding	17
	EX2	EX2 - Double (Rhombus) Diamond Segment, Designation Colour: Yellow, Grit Size: 25 Grit A diamond segment with two rhombus-shaped segments, designed for small and medium grinders. Dedicated for work on soft and medium-hard concrete - features hard bond for abrasive materials and high diamond concentration, which ensures stable efficiency and long life	30
	EX3	EX3 - Triple (Rhombus) Diamond Segment, Designation Colour: Yellow, Grit Size: 25 Grit A diamond segment with three rhombus-shaped segments, designed for medium and large grinders. Dedicated for work on soft and medium-hard concrete - features hard bond for abrasive materials and high diamond concentration, which ensures high efficiency, uniform grinding and long life	38
	EX4	EX4 - Quadruple (Rhombus) Diamond Segment, Designation Colour: Yellow, Grit Size: 25 Grit A diamond segment with four rhombus-shaped segments, designed for large grinders and intensive work on soft and medium-hard concrete - features hard bond for abrasive materials and high diamond concentration, which ensures maximum efficiency, stable operation and long tool life	53
	X1B-SC	X1B-SC - Single Circular Diamond Segment, Designation Colour: Yellow, Grit Sizes: 30, 50, 70, 120 Grit A segment with single circular diamond layer with increased working area, designed for small grinders. Dedicated for work on soft and medium-hard concrete. High diamond concentration ensures aggressive, stable grinding and extended tool life	30
	X2B-SC	X2B-SC - Double Circular Diamond Segment, Designation Colour: Yellow, Grit Sizes: 30, 50, 70, 120 Grit A segment with double circular diamond layer with increased working area, designed for medium and large grinders. Dedicated for work on soft and medium-hard concrete. High diamond concentration ensures aggressive, stable grinding and extended tool life, even during intensive operation	42




XQC METAL DIAMOND TOOLS (CONCRETE GRINDING)

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	X1S-SC	X1S-SC - Single Rectangular Diamond Segment, Designation Colour: Yellow, Grit Sizes: 30, 50, 70, 120 Grit A segment with single rectangular diamond layer with increased working area, designed for small grinders. Dedicated for work on soft and medium-hard concrete. High diamond concentration ensures aggressive, stable grinding and extended tool life, even during intensive operation	30
	X2S-SC	X2S-SC - Double Rectangular Diamond Segment, Designation Colour: Yellow, Grit Sizes: 30, 50, 70, 120 Grit A segment with double rectangular diamond layer with increased working area, designed for medium and large grinders. Dedicated for work on soft and medium-hard concrete. High diamond concentration ensures aggressive, stable grinding and extended tool life, even during intensive operation	43
	X1B-MC	X1B-MC - Single Circular Diamond Segment, Designation Colour: Grey, Grit Sizes: 30, 50, 70, 120 Grit A segment with single circular diamond layer with increased working area, designed for small grinders. Dedicated for work on medium-hard and hard concrete. High diamond concentration ensures aggressive, stable grinding and extended tool life	23
	X2B-MC	X2B-MC - Double Circular Diamond Segment, Designation Colour: Grey, Grit Sizes: 14, 30, 50, 70, 120 Grit A segment with double circular diamond layer with increased working area, designed for medium and large grinders. Dedicated for work on medium-hard and hard concrete. High diamond concentration ensures aggressive, stable grinding and extended tool life, even during intensive operation	33
	X1S-MC	X1S-MC - Single Rectangular Diamond Segment, Designation Colour: Grey, Grit Sizes: 30, 50, 70, 120 Grit Dedicated for work on medium-hard and hard concrete. A segment with single rectangular diamond layer ensures stable, controllable grinding and high tool durability	24
	X2S-MC	X2S-MC - Double Rectangular Diamond Segment, Designation Colour: Grey, Grit Sizes: 30, 50, 70, 120 Grit Double rectangular diamond layer ensures increased working area, high grinding efficiency and longer tool life. Dedicated for work on medium-hard and hard concrete.	33
	X1S-SHC	X1S-SHC - Single Rectangular Diamond Segment, Designation Colour: White, Grit Sizes: 30, 50, 70, 120 Grit Single rectangular diamond layer ensures stable and uniform grinding and good operation control. Dedicated for hard and very hard concrete	24
	X2S-SHC	X2S-SHC - Double Rectangular Diamond Segment, Designation Colour: White, Grit Sizes: 30, 50, 70, 120 Grit Double rectangular diamond layer ensures increased working area, stable operation and longer life. Dedicated for hard and very hard concrete	42
	X2R-EHC	X2R-EHC - Double Diamond Segment, Designation Colour: Black, Grit Size: 30, 50 Grit A double diamond segment for extra hard concrete, floors with dry shake topping and very difficult, abrasive surfaces. It features high cutting aggressiveness, especially at the first stage of preparation. Ensures quick surface grinding, stable operation and high wear resistance	40



XQC METAL DIAMOND TOOLS (CONCRETE GRINDING)

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	QC-SA	SuperThick XQC Disc for Dry or Wet Concrete Grinding and Honing, 82mm Metal-bonded circular diamond tools for concrete grinding. Equipped with Lavina QuickChange mounting system, they ensure quick and problem-free change and stable mounting during operation. Designed for dry or wet work, grit sizes: 46, 70, 120	93
	SA	SuperThick Disc for Dry Concrete Grinding and Honing with Velcro Fastener, 82mm Metal-bonded circular diamond tools for concrete grinding. Mounted with Velcro strap for grinders equipped with Velcro plate. Dedicated only for dry work, grit sizes: 46, 70, 120	74
	SAMBR3	SAMBR 3" (76mm) Metal Disc for Granite and Marble Grinding A metal-bonded diamond tool designed for wet granite and hard marble grinding. Perfect for aggressive preparation and removal of scratches in stone, mounted with a Velcro fastener, grit sizes: 46, 70, 120	55
	VA900966	Von Arx FG250 RED Diamond Disc - 250mm, 20 Segments A professional diamond disc designed for Von Arx FG250 grinder, dedicated for work on HARD concrete. Equipped with 20 diamond segments, it ensures high grinding efficiency, uniform material removal and long tool life. Perfect for surface preparation for subsequent stages of flooring work, such as application of resins or industrial coatings. Ready for quick change and intensive operation on a construction site	132
	VA900965	Von Arx FG250 GREEN Diamond Disc - 250mm, 20 Segments A professional diamond disc for Von Arx FG250 grinder, dedicated for work on medium-hard concrete. Equipped with 20 diamond segments, it ensures uniform, stable grinding and high material removal efficiency. Perfect for floor preparation for resins, industrial coatings and further stages of floor preparation	132
	VA900969	Von Arx FG250 BLUE Diamond Disc - 250mm, 20 Segments A professional diamond disc for Von Arx FG250 grinder, dedicated for work on soft concrete. Equipped with 20 diamond segments, it ensures high grinding efficiency, aggressive material removal and uniform surface preparation. Perfect for removal of cement laitance and surface preparation before application of resins and industrial coatings	137
	VA-900971	Von Arx FG250 PCD Disc - 250mm A professional PCD (Polycrystalline Diamond) disc for Von Arx FG250 grinder, designed for aggressive removal of adhesives, resins, paints and thick industrial coatings. PCD segments ensure very high removal efficiency without excessive heating of the surface. Perfect for preparation of the floor for further grinding or application of new resin systems	182

We offer XQC adapters for LAVINA tools, which allow for mounting of various LAVINA diamond tools in Your grinder. With XQC adapters XQC tools for concrete grinding, honing and polishing can be used in grinders of various manufacturers. The adapters allow mounting the tools in grinders of the following brands: HTC, Husqvarna, Blastrac, Schwaborn, Scanmaskin, Tyrolit



+48 518 961 321 Technical Support



+48 786 864 361 Office

PCD DIAMOND TOOLS & BUSH HAMMER TOOLS (SCRAPING, BUSH HAMMERING)

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	EPCD	QuickChange EPCD Segment Without Bar - For Aggressive Removal of Coatings A metal tool with sintered carbide, designed for removal of resin coatings, adhesives and other surface layers to a depth of up to 3.5-4mm. Absence of stabilising bar ensures very aggressive action. The segment may leave distinct scratches on concrete - more delicate finishing, EPCDSB tools are recommended	71
	EPCDSB	QuickChange EPCD Segment with Bar for Controllable Coating Removal A metal tool with sintered carbide, designed for removal of resin coatings, adhesives and other surface layers to a depth of up to 1.5-2.5mm. The applied stabilising bar limits the cutting aggressiveness and improves control during removal. The segment may leave scratches on concrete surface	86
	EPCD-L	QuickChange EPCD Segment Without Bar - For Aggressive Removal of Coatings, Blue A metal-bonded tool in blue colour, designed for counter-clockwise operation, equipped with sintered carbide for aggressive removal of resin coatings, adhesives and other surface layers with a thickness of up to about 3.5-4mm. Absence of stabilising bar ensures maximum efficiency and fast removal	71
	EPCDSB-L	QuickChange EPCD-L Segment Without Bar - For Aggressive Removal of Coatings, Blue A metal-bonded tool with bar in blue colour, designed for counter-clockwise operation, equipped with sintered carbide for aggressive removal of resin coatings, adhesives and other surface layers with a thickness of up to about 1.5-2.5mm. The applied stabilising bar limits the cutting aggressiveness and improves control during removal. The segment may leave scratches on concrete surface	82
	XC-HOLDER-CBL	Graphite Tool for Stripping Thin Layer of Coating and Adhesive Without Causing Scratches A specialist graphite tool designed for gentle stripping of thin layers of adhesives and coatings without causing any scratches on concrete surfaces. Perfect for surface preparation before polishing	91
	BH-520	Bush Hammer 100 Pins for Bush Hammering, Grey Colour A tool for bush hammering of concrete, equipped with 100 pins made of sintered carbide and strengthened bearings, ensuring high durability and stable operation. Dedicated for all concrete types	151
	EX-BH8149	Bush Hammer 45 Pins for Bush Hammering, Blue Colour A tool for bush hammering of concrete, equipped with 45 pins made of sintered carbide and strengthened bearings, ensuring highly aggressive operation and stable steering. Dedicated for all concrete types	126
	BH-415	Bush Hammer 60 Pins for Bush Hammering, Red Colour A tool for bush hammering of concrete, equipped with 60 pins made of sintered carbide and reinforced bearings, ensuring highly aggressive operation, long life and stable steering. Dedicated for all concrete types	138
	BH-8237	Bush Hammer 30 Pins for Bush Hammering, Gold Colour A tool designed for bush hammering of soft concrete, asphalt and asphalt concrete. Equipped with 30 pins made of sintered carbide and reinforced bearings, it ensures stable operation and optimum balance between aggressive action and useful life on soft materials	149
	XQC-BH	Bush Hammer XQC 30 Pins for Bush Hammering A tool for bush hammering of concrete, equipped with 30 pins made of sintered carbide and reinforced bearings, ensuring quick change directly onto XQC Lavina heads without any adapters. Dedicated for medium-hard concrete	143



ADAPTERS FOR BUSH HAMMERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	BH-LAV-EU230	Lavina EU Adapter for Bush Hammers - f 230mm, 3 Tools A steel mounting adapter designed for installation of Bush Hammer (BH series) tools on Lavina EU grinders. Made of high-grade steel, it ensures stable mounting and uniform transfer of loads when bush hammering concrete, version: 230mm (3 tools). Solid structure guarantees durability and safe operation in intensive operating conditions	108
	BH-LAV-EU335	Lavina EU Adapter for Bush Hammers - f 330mm, 6 Tools A steel mounting adapter designed for installation of Bush Hammer (BH series) tools on Lavina EU grinders. Made of high-grade steel, it ensures stable mounting and uniform transfer of loads when bush hammering concrete, version 335mm (6 tools) for EU 30/38 models. Solid structure guarantees durability and safe operation in intensive operating conditions	146
	BH-LAV230	Lavina X Adapter for Bush Hammers - f 230mm, 3 Tools A steel mounting adapter designed for installation of Bush Hammer (BH series) tools on Lavina X grinders. Made of high-grade steel, it ensures stable mounting and uniform transfer of loads when bush hammering concrete. Available versions: 230mm (3 tools) Lavina X 20/25/32. Solid structure guarantees durability and safe operation in intensive operating conditions	118
	BH-LAV335	Lavina X Adapter for Bush Hammers - f 330mm, 6 Tools A steel mounting adapter designed for installation of Bush Hammer (BH series) tools on Lavina X grinders. Made of high-grade steel, it ensures stable mounting and uniform transfer of loads when bush hammering concrete. Available versions: 335mm (6 tools) X 30/38. Solid structure guarantees durability and safe operation in intensive operating conditions	146

For BH adapters for HTC, HUSQVARNA, BLASTRAC, SHWAMBORN, SCANMASCIN grinder models, go to www.beton555.com

HYBRID & PLASTIC TOOLS (HONING & POLISHING)

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	XQC13WF	WAFFEL Polymer-Bond Polishing Pad for XQC 13" (330mm) Holder A polymer-bond diamond tool, mounted directly on the machine in XQC system (with no extra adapters). Dedicated for honing and polishing of all concrete types. High concentration of micro-diamonds provides a high gloss finish in a short time, uniform operation and high efficiency. The pad has a flexible base and can be used for both dry and wet work. Available grit sizes: 50, 100, 200, 400, 800, 1500, 3000	24
	XQCWF	WAFFEL Polymer-Bond Polishing Pad for XQC 9" (230mm) Holder A polymer-bond diamond tool, mounted directly on the machine in XQC system (with no extra adapters). Dedicated for honing and polishing of all concrete types. High concentration of micro-diamonds provides a high gloss finish in a short time, uniform operation and high efficiency. The pad has a flexible base and can be used for both dry and wet work. Available grit sizes: 50, 100, 200, 400, 800, 1500, 3000	31
	Waff-14	WAFFEL 14" (356mm) Polymer-Bond Polishing Pad for Concrete Honing and Polishing A professional polymer-bond diamond tool, designed for honing and polishing of all concrete types. High concentration of micro-diamonds provides a high-gloss finish in a fast, uniform and effective manner. 14" (356mm) diameter pad with flexible rubber base is designed for heavy polishing machines. Easy mounting using a Velcro fastener enables quick tool change. Available grit sizes: 50, 100, 200, 400, 600, 800, 1500	144



+48 518 961 321 Technical Support



+48 786 864 361 Office

HYBRID & PLASTIC TOOLS (HONING & POLISHING)

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	WAFF-9	WAFFEL 9" (230mm) Polymer-Bond Polishing Pad for Concrete Honing and Polishing (With Velcro Fastener) for Dry and Wet Work. A professional polymer-bond diamond tool, designed for honing and polishing of all concrete types. High concentration of micro-diamonds provides a high gloss finish in a fast, uniform and effective manner. 14" (356mm) diameter pad with flexible rubber base is designed for heavy polishing machines. Easily mounted with a Velcro fastener enables quick tool change. Available grit sizes: 50, 100, 200, 400, 600, 800, 1500	110
	WAFF-10.63	WAFFEL 10.63" (270mm) Polymer-Bond Polishing Pad for Concrete Honing and Polishing (With Velcro Fastener) for Dry and Wet Work. A professional polymer-bond diamond tool, designed for honing and polishing of all concrete types. High concentration of micro-diamonds provides a high gloss finish in a fast, uniform and effective manner. 14" (356mm) diameter pad with flexible rubber base is designed for heavy polishing machines. Easily mounted with a Velcro fastener enables quick tool change. Available grit sizes: 50, 100, 200, 400, 600, 800, 1500	114
	WAFF-7	WAFFEL 7" (178mm) Polymer-Bond Polishing Pad for Concrete Honing and Polishing With Velcro Fastener for Dry and Wet Work. A professional polymer-bond diamond tool, designed for honing and polishing of all concrete types. High concentration of micro-diamonds provides a high gloss finish in a fast, uniform and effective manner. 14" (356mm) diameter pad with flexible rubber base is designed for heavy polishing machines. Easily mounted with a Velcro fastener enables quick tool change. Available grit sizes: 50, 100, 200, 400, 600, 800, 1500	57
	XQCHDCO	XQC HD Copper - Copper Pad for Concrete Honing for Wet Work A professional tool dedicated for wet and dry concrete grinding and honing. The copper working area ensures effective surface levelling and quick removal of scratches after operation with metal segments. Elastic rubber in pad structure allows for perfect adaptation to the surface and uniform operation on the whole area. Quick and problem-free mounting directly on the machine thanks to QuickChange (XQC) system. Available grit sizes: 50, 100, 200	36
	3STEP-4	3-Step System for Quick Dry Concrete Polishing (With Velcro Fastener). A hybrid diamond tool dedicated for quick and effective polishing of all concrete types. Each pad contains an appropriately selected mixture of micro-diamonds, which makes it possible to limit the number of operation stages to three steps: Coarse, Fine and Extra Fine. The system provides a high gloss finish, while maintaining high efficiency and favourable cost per m ² . A 76mm (3") diameter tool with Velcro fastener, recommended for dry work	30
	XQC3S	3-Step XQC System for Quick Dry Concrete Polishing A hybrid diamond tool dedicated for quick and effective polishing of all concrete types. Each pad contains an appropriately selected mixture of micro-diamonds, which makes it possible to limit the number of operation stages to three steps: Coarse, Fine and Extra Fine. The system provides a high gloss finish, while maintaining high efficiency and favourable cost per m ² . A 76mm (3") diameter tool mounted directly in XQC system	34
	XQCNS	NATO 3" 80.0mm (XQC) Polishing Pad for Dry and Wet Concrete Polishing. A polymer-bond diamond tool, designed for honing and polishing of all concrete types. Special shape and high concentration of micro-diamonds provides a high-gloss finish in a short time and uniform operation on the whole area. Dedicated for dry and wet work. Quick mounting directly on the machine thanks to QuickChange (XQC) system. Available grit sizes: 30, 50, 100, 200, 400, 800, 1500, 3000. Available sizes: 80mm	22
	XQCNS-WR	NATO 3" XQCNS-WR 80mm Polishing Pad for Wet Stone Polishing A polymer-bond diamond tool, designed for honing and polishing of all stone types. Special shape and high concentration of micro-diamonds provide a high gloss finish in a short time and uniform operation on the whole area. Dedicated for dry and wet work. Quick mounting directly on the machine thanks to QuickChange (XQC) system. Available grit sizes: 30, 50, 100, 200, 400, 800, 1500, 3000. Available sizes: 80mm	24




HYBRID & PLASTIC TOOLS (HONING & POLISHING)

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	NS	NATO 3", 80mm Dry and Wet Concrete Polishing Pad With Velcro Fastener A polymer-bond diamond tool, designed for honing and polishing of all concrete types. Special shape and high concentration of micro-diamonds provide a high gloss finish in a short time and uniform operation on the whole area. Dedicated for dry and wet work. Quick mounting using a Velcro fastener. Available grit sizes: 30, 50, 100, 200, 400, 800, 1500, 3000. Available sizes: 80mm	22
	NS-WR	NATO 3", 80mm Wet Stone Polishing Pad With Velcro Fastener A polymer-bond diamond tool, designed for honing and polishing of all stone types. Special shape and high concentration of micro-diamonds provide a high gloss finish in a short time and uniform operation on the whole area. Dedicated for dry and wet work. Quick mounting using a Velcro fastener. Available grit sizes: 30, 50, 100, 200, 400, 800, 1500, 3000. Available sizes: 80mm	24
	XQCO	Calibra Ceramic Pad for Removing Scratches From Hard Concrete With Velcro Fastener A hybrid diamond tool designed for removal of scratches and honing on hard concrete. Specially selected mixture of micro-diamonds and optimised segment shape allow for effective polishing of surface without leaving visible traces. Elastic rubber layer ensures perfect adaptation to the surface and uniform operation. Quick mounting using a Velcro fastener. Available grit sizes: 30, 50, 100, 200	35
	XQC5CO	Corsa XQC5CO Ceramic Pad for Removing Scratches From Hard Concrete A hybrid diamond tool designed for removal of scratches and honing on hard concrete. Specially selected mixture of micro-diamonds and optimised segment shape allow for effective polishing of surface without leaving visible traces. Elastic rubber layer ensures perfect adaptation to the surface and uniform operation. Quick mounting directly on the machine thanks to Lavina QuickChange (XQC) system. Available grit sizes: 30, 50, 100, 200	35
	XQCPOL	XQCPOL Trapezoidal Polishing Pad A composite diamond tool designed for dry and wet polishing of all concrete types. Provides a high gloss finish in a short time and uniform surface finish. Elastic rubber layer inside the pad allows for perfect adaptation to the surface and stable operation. Quick and problem-free mounting directly on the machine thanks to Lavina QuickChange (XQC) system. Available grit sizes: 30, 50, 100, 200, 400, 800, 1500, 3000	23
	HD-3	HD 3" Heavy Duty Polymer-Bond Polishing Pad With Velcro Fastener A highly efficient 3" diamond tool designed for dry and wet honing and polishing of all concrete types. Made with a polymer bond with increased durability and aggressive cutting action, perfect for medium and heavy grinding and polishing machines. Provides a high gloss finish in a short time and uniform surface finish. Easy and quick mounting using a Velcro fastener. Available grit sizes: 30, 50, 100, 200, 400, 800	32





PLASTIC TOOLS ON FELT SUPPORT (FINAL POLISHING)

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	XQC13VFR	XQC13VF-R Polymer-Bond Polishing Pad on Felt Support With Rubber Layer A professional Pad for final polishing of concrete, designed for 13" (330mm) heads. Made of high-quality materials with addition of micro-diamonds, it provides a high gloss finish easily and an excellent quality of surface finish. The felt support effectively removes dust from micropores in concrete, increasing the gloss effect. The applied rubber layer absorbs motions of the machine and ensures uniform pressure to the floor, which results in stable and effective operation. Quick mounting directly on the machine thanks to QuickChange system. Available grit sizes: 400, 800, 1800, 3500, BUFF (8500)	19
	XQCVF-R	XQCVF-R Polymer-Bond Polishing Pad on Felt Support With Rubber Layer A professional Pad for final polishing of concrete, designed for 9" (230mm) heads. Made of high-quality materials with addition of micro-diamonds, it provides a high gloss finish easily and an excellent quality of surface finish. The felt support effectively removes dust from micropores in concrete, increasing the gloss effect. The applied rubber layer absorbs motions of the machine and ensures uniform pressure to the floor, which results in stable and effective operation. Quick mounting directly on the machine thanks to QuickChange system. Available grit sizes: 400, 800, 1800, 3500, BUFF (8500)	26
	VF-7	V-HARR 7" (178mm) Polymer-Bond Polishing Pad on Felt Base With Rubber Layer Made of high-quality resin with addition of micro-diamonds, it ensures uniform finish and high-gloss effect. Felt base adapts to the surface, removes the dust from micropores and increases the quality of the final effect. 7" (178mm) diameter, mounted with a Velcro fastener. Available grit sizes: 220, 400, 800, 1800, 3500 & BUFF (8500)	53
	VF-9	V-HARR 9" (230mm) Polymer-Bond Polishing Pad on Felt Base With Rubber Layer Made of high-quality resin with addition of micro-diamonds, it ensures uniform finish and high-gloss effect. Felt base adapts to the surface, removes the dust from micropores and increases the quality of the final effect. 9" (230mm) diameter, mounted with a Velcro fastener. Available grit sizes: 220, 400, 800, 1800, 3500 & BUFF (8500)	75
	VF-10.63	V-HARR 10.63" (270mm) Polymer-Bond Polishing Pad on Felt Base With Rubber Layer Made of high-quality resin with addition of micro-diamonds, it ensures uniform finish and high-gloss effect. Felt base adapts to the surface, removes the dust from micropores and increases the quality of the final effect. 10.63" (270mm) diameter, mounted with a Velcro fastener. Available grit sizes: 220, 400, 800, 1800, 3500 & BUFF (8500)	68
	VF-13	V-HARR 13" (330mm) Polymer-Bond Polishing Pad on Felt Base With Rubber Layer Made of high-quality resin with addition of micro-diamonds, it ensures uniform finish and high-gloss effect. Felt base adapts to the surface, removes the dust from micropores and increases the quality of the final effect. 13" (330mm) diameter, mounted with a Velcro fastener. Available grit sizes: 220, 400, 800, 1800, 3500 & BUFF (8500)	113
	VF-14	V-HARR 14" (355mm) Polymer-Bond Polishing Pad on Felt Base With Rubber Layer Made of high-quality resin with addition of micro-diamonds, it ensures uniform finish and high-gloss effect. Felt base adapts to the surface, removes the dust from micropores and increases the quality of the final effect. 14" (355mm) diameter, mounted with a Velcro fastener. Available grit sizes: 400, 800, 1800, 3500 & BUFF (8500)	119



TOOLS FOR HAND GRINDERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
	EM-5-M14	EDGE MASTER 5" (125mm) - Professional Ceramic-Bond Diamond Cup EDGE MASTER Turbo Cup for dry concrete grinding and finishing using hand grinders. Innovative bond and precisely selected diamond grit size ensure high-quality preparation, long tool life and stable operation. Dedicated for hard and medium-hard concrete. Mounted on standard M14 thread. Available in the following grit sizes: Extra Coarse, Coarse, Medium, Fine, Extra Fine	110
	3N-5-CO	5" (125mm) Copper Disc - Diamond Tool for Dry Concrete and Stone Honing and Polishing Designed for hand grinders. Copper bond ensures high operating efficiency and very good grinding properties. Mounted using a Velcro fastener which enables quick installation and replacement of the tool. Available grit sizes: 30, 50, 70, 120	42
	RAZOR-5	RAZOR 5" (125mm) Pad - Ceramic-Bond Diamond Pad Dedicated for honing and removal of scratches on concrete surfaces. Special design of small circular segments ensures effective removal of scratches and levelling of the surface. A tool designed for hand grinders, perfect as a transition before further polishing of concrete. Available grit sizes: 50, 100, 200	39
	3N-HP-5	5" (125mm) Composite Disc - Diamond Pad for Dry Concrete and Stone Honing and Polishing A pad with increased efficiency and durability. Made of special composite ensuring stable operation and very good polishing properties. Designed for hand grinders, provided with a Velcro fastener allowing for quick tool replacement. Available grit ranges: 50, 100, 200, 400, 800, 1500, 3000	29
	3ANG_46	CORNERPRO Pad - Triangular Diamond Pad for Polishing Corners and Hard-to-Reach Areas, Grit Size 46 The pad contains micro-diamonds on metal-bond, ensuring effective grinding and uniform surface finish. Mounted using a Velcro fastener which allows for quick and comfortable tool replacement. Available grit sizes: 46, 50, 70, 120, 220, 400, 600	40
	3ANG_50, 70, 120	CORNERPRO Pad - Triangular Diamond Pad for Polishing Corners and Hard-to-Reach Areas, Grit Size 50, 70, 120 The pad contains micro-diamonds, ensuring effective grinding and uniform surface finishing. Mounted using a Velcro fastener which allows for quick and comfortable tool replacement. Available grit sizes: 50, 70, 120, 220, 400, 600	15
	3ANG_220, 400, 600	CORNERPRO Pad - Triangular Diamond Pad for Polishing Corners and Hard-to-Reach Areas, Grit Size 220, 400, 600 The pad contains micro-diamonds, ensuring effective grinding and uniform surface finishing. Mounted using a Velcro fastener which allows for quick and comfortable tool replacement. Available grit sizes: 50, 70, 120, 220, 400, 600	11



CONCRETE SILICATES & HARDENERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
 	UHSE 0005	ULTRALIT HARD ECO - Lithium Silicate 8% An economic hardener used for densifying, hardening and dustproofing for new or existing concrete floors. The active lithium silicate reacts with components of concrete and forms insoluble hydrated calcium silicate (CSH) compounds which improve surface hardness, reduce dusting and improve abrasion resistance. The product penetrates the concrete structure, does not form coating, it never flakes or peels off and is resistant to moisture and facilitates floor cleaning	
		ULTRALIT HARD ECO - Lithium silicate 8% , 5L pail	40
	UHSE 0020	ULTRALIT HARD ECO - Lithium silicate 8% , 30L pail	159
	UHSE 0030	ULTRALIT HARD ECO - Lithium silicate 8% , 30L pail	233
	UHSE 0200	ULTRALIT HARD ECO - Lithium silicate 8% , 200L drum	1,339
	UHSE 1000	ULTRALIT HARD ECO - Lithium silicate 8% , 1000L IBC container	6,240
 	UHS 0005	ULTRALIT HARD STANDARD - Lithium Silicate 12% A strong hardener used for densifying, hardening and dustproofing for new and existing concrete floors. The active lithium silicate reacts with components of concrete and forms insoluble hydrated calcium silicate (CSH) compounds which improve surface hardness, reduce dusting and improve abrasion resistance. The product penetrates the concrete structure, does not form coating, it never flakes or peels off, providing a durable protection against humidity and facilitating floor cleaning	
		ULTRALIT HARD STANDARD - Lithium silicate 12% , 5L pail	55
	UHS 0020	ULTRALIT HARD STANDARD - Lithium silicate 12% , 30L pail	185
	UHS 0030	ULTRALIT HARD STANDARD - Lithium silicate 12% , 30L pail	278
	UHS 0200	ULTRALIT HARD STANDARD - Lithium silicate 12% , 200L drum	1,693
	UHS 1000	ULTRALIT HARD STANDARD - Lithium silicate 12% , 1000L IBC container	8,178
 	UHP 0005	ULTRALIT HARD PREMIUM - Lithium Silicate 18% A strong hardener for weak concrete used for densifying, hardening and dustproofing for new and existing concrete floors with lower resistance. High concentration of active lithium silicate intensively reacts with components of concrete and forms insoluble hydrated calcium silicate (CSH) compounds which greatly improve surface hardness, reduce dusting and improve abrasion resistance. The product penetrates the concrete structure, does not form coating, it never flakes or peels off, providing a durable protection against humidity and facilitating floor cleaning	
		ULTRALIT HARD PREMIUM - Lithium silicate 18% , 5L pail	70
	UHP 0020	ULTRALIT HARD PREMIUM - Lithium silicate 18% , 30L pail	264
	UHP 0030	ULTRALIT HARD PREMIUM - Lithium silicate 18% , 30L pail	396
	UHP 0200	ULTRALIT HARD PREMIUM - Lithium silicate 18% , 200L drum	2,201
	UHP 1000	ULTRALIT HARD PREMIUM - Lithium silicate 18% , 1000L IBC container	11,006

* ask for discount



+48 518 961 321 Technical Support



+48 786 864 361 Office

CONCRETE SILICATES & HARDENERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
  50% upfront 50% - 60 days	ULPS 0005	ULTRALIT HARD XPL - Lithium-Potassium Silicate Densifier A strong hardener for weak concrete used for densifying, hardening and dustproofing for new and existing concrete floors with lower resistance. It intensively reacts with components of concrete and forms insoluble hydrated calcium silicate (CSH) compounds which greatly improve surface hardness, reduce dusting and improve abrasion resistance. The product penetrates the concrete structure, does not form coating, it never flakes or peels off, providing a durable protection against humidity and facilitating floor cleaning	
		ULTRALIT HARD XPL - Lithium-potassium silicate densifier, 5L pail	31
	ULPS 0020	ULTRALIT HARD XPL - Lithium-potassium silicate densifier, 20L pail	100
	ULPS 0030	ULTRALIT HARD XPL - Lithium-potassium silicate densifier, 30L pail	150
	ULPS 0200	ULTRALIT HARD XPL - Lithium-potassium silicate densifier, 200L drum	954
	ULPS 1000	ULTRALIT HARD XPL - Lithium-potassium silicate densifier, 1000L IBC container	4,532
  50% upfront 50% - 60 days	UHXP 0005	ULTRALIT HARD XP - Potassium Silicate Densifier A hardener for weak concrete used for densifying, hardening and dustproofing for new and existing concrete floors. It intensively reacts with components of concrete and forms insoluble hydrated calcium silicate (CSH) compounds which greatly improve surface hardness, reduce dusting and improve abrasion resistance. The product penetrates the concrete structure, does not form coating, it never flakes or peels off, providing a durable protection against humidity and facilitating floor cleaning	
		ULTRALIT HARD XP - Potassium silicate densifier, 5L pail	23
	UHXP 0020	ULTRALIT HARD XP - Potassium silicate densifier, 20L pail	90
	UHXP 0030	ULTRALIT HARD XP - Potassium silicate densifier, 30L pail	127
	UHXP 0200	ULTRALIT HARD XP - Potassium silicate densifier, 200L drum	757
	UHXP1000	ULTRALIT HARD XP - Potassium silicate densifier, 1000L IBC container	3,408
  50% upfront 50% - 60 days	UHC 0005	ULTRALIT HARD CURE 2-in-1 - Lithium Silicate Densifier + Polymer Curing Agent A 2-in-1 lithium silicate agent for fresh and old concrete which maintains the surface, while hardening it. A lithium-silicate-densifier-based agent penetrates the concrete structure (1-5mm), reacts chemically with its surface and forms a hard, abrasion-resistant coating, limiting dusting and improving the floor hardness. The product protects fresh concrete against loss of humidity and reinforces existing floors, increasing abrasion resistance even by 40%. With water-based formula, it is environmentally-friendly, easy to apply and enables quick concrete hardening	
		ULTRALIT HARD CURE - Lithium silicate densifier + polymer, 5L pail	83
	UHC 0020	ULTRALIT HARD CURE - Lithium silicate densifier + polymer, 20L pail	271
	UHC 0030	ULTRALIT HARD CURE - Lithium silicate densifier + polymer, 30L pail	406
	UHC 0200	ULTRALIT HARD CURE - Lithium silicate densifier + polymer, 200L drum	2,284
	UHC 1000	ULTRALIT HARD CURE - Lithium silicate densifier + polymer, 1000L container	10,850

* ask for discount



+48 518 961 321 Technical Support



+48 786 864 361 Office

SURFACE & PENETRATING CONCRETE SEALERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
 	UHG 0005	ULTRALIT GLOSS - Penetrating Lithium Silicate-Polymer Sealer A sealer for ground and polished concrete which hardens, seals the surface and at the same time increases its gloss. Lithium silicate reinforces the concrete structure, and polymers form a protective layer increasing the resistance to staining and abrasion. The agent improves concrete colour intensity, increases light reflection and facilitates floor cleaning and maintenance. Perfect for warehouses, commercial facilities and industrial areas	132
	UHG 0020	ULTRALIT GLOSS - Penetrating lithium silicate-polymer sealer, 20L pail	474
	UHG 0030	ULTRALIT GLOSS - Lithium-silicate polymer sealer, 30L pail	712
	UHG 0200	ULTRALIT GLOSS - Lithium-silicate polymer sealer, 200L drum	4,523
	UHG 1000	ULTRALIT GLOSS - Penetrating lithium silicate polymer sealer, 1000L IBC container	21,488
 	UHGS 0005	ULTRALIT GLOSS SHIELD - Penetrating Lithium Silicate-Polymer Sealer A sealer for ground and polished concrete with increased polymer contents. It hardens, seals the surface, and at the same time increases its gloss. Lithium silicate reinforces the concrete structure, and polymers form a protective layer increasing the resistance to staining and abrasion. The agent increases light reflection, improves concrete colour and facilitates floor cleaning and maintenance	153
	UHGS 0020	ULTRALIT GLOSS SHIELD - Penetrating lithium silicate-polymer sealer, 20L pail	585
	UHGS 0030	ULTRALIT GLOSS SHIELD - Penetrating lithium silicate-polymer sealer, 30L pail	822
	UHGS 0200	ULTRALIT GLOSS SHIELD - Penetrating lithium silicate-polymer sealer, 200L drum	5,125
	UHGS 1000	ULTRALIT GLOSS SHIELD - Penetrating lithium silicate-polymer sealer, 1000L IBC container	24,347
 	UHGL 0005	ULTRALIT GLOSS LOCK A single-component surface sealer for protection and sealing of decorative and architectural concrete surfaces, providing them with a light-gloss effect. It protects against soiling, efflorescence, loss of colour as well as moisture and frost. Forms a durable, breathable protective layer resistant to UV radiation. Intended for indoor and outdoor use on surfaces such as polished concrete, terrazzo, poured concrete or paving stone	149
	UHGL 0020	ULTRALIT GLOSS LOCK - Single-component surface sealer, 20L pail	505
	UHGL 0030	ULTRALIT GLOSS LOCK - Single-component surface sealer, 30L pail	758
	UHGL 0200	ULTRALIT GLOSS LOCK - Single-component surface sealer, 200L drum	4,921
	UHGL 1000	ULTRALIT GLOSS LOCK - Single-component surface sealer, 1000L IBC container	23,377

* ask for discount



+48 518 961 321 Technical Support



+48 786 864 361 Office

SURFACE & PENETRATING CONCRETE SEALERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
 		ULTRALIT MATT LOCK A single-component surface sealer for protection and sealing of decorative and architectural concrete surfaces, without a gloss effect. It protects against soiling, efflorescence, loss of colour as well as moisture and frost. Forms a durable, breathable protective layer resistant to UV radiation. Intended for indoor and outdoor use on surfaces such as polished concrete, terrazzo, poured concrete or paving stone	
	UHML 0005	ULTRALIT MATT LOCK - Single-component surface sealer, no gloss effect, 5L pail	149
	UHML 0020	ULTRALIT MATT LOCK - Single-component surface sealer, no gloss effect, 20L pail	505
	UHML 0030	ULTRALIT MATT LOCK - Single-component surface sealer, no gloss effect, 30L pail	758
	UHML 0200	ULTRALIT MATT LOCK - Single-component surface sealer, no gloss effect, 200L drum	4,921
	UHML 1000	ULTRALIT MATT LOCK - Single-component surface sealer, no gloss effect, 1000L IBC container	23,377
 		ULTRALIT PROTECT An acrylic-based surface sealer, intended for protection of concrete and mineral surfaces, in concentrate for 1:1 dilution with water. Forms a breathable protective coating providing protection against water, oil, soiling, efflorescence as well as weathering and frost. A water-based product, resistant to UV radiation, intended for indoor and outdoor use on surfaces such as concrete, terrazzo, paving stone and stone	
	ULJ50 0005	ULTRALIT PROTECT - Acrylic-based surface sealer, concentrate for 1:1 dilution with water, 5L pail	112
	ULJ50 0020	ULTRALIT PROTECT - Acrylic-based surface sealer, concentrate for 1:1 dilution with water, 20L pail	414
	ULJ50 0030	ULTRALIT PROTECT - Acrylic-based surface sealer, concentrate for 1:1 dilution with water, 30L pail	622
	ULJ50 00200	ULTRALIT PROTECT - Acrylic-based surface sealer, concentrate for 1:1 dilution with water, 200L drum	4,330

* ask for discount



+48 518 961 321 Technical Support



+48 786 864 361 Office

CONCRETE REPAIR & JOINT MATERIALS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
		ULTRALIT FIX A+B A quick-drying polyurethane with low viscosity for repairs of damages and scratches in concrete. It deeply penetrates the surface, forming a durable and strong joint. Cures in about 30 minutes, allowing the floor to be loaded in a short time. It is suitable for indoor and outdoor use, independently or with addition of quartz sand to form a durable repair grout	
	UFS 0002	ULTRALIT FIX A+B - Quick-drying polyurethane with low viscosity for repair of damages and scratches, 1L+1L	86
	UFS 0010	ULTRALIT FIX A+B - Quick-drying polyurethane with low viscosity for repair of damages and scratches, 5L+5L	413
		ULTRALIT LATEX A liquid latex-based grout for filling pores, pin-holes and imperfections in concrete floors while grinding. Applied after grinding, it is mixed with concrete dust, effectively filling small pores. It forms a smooth structure, facilitating further polishing and improves uniform absorption of hardeners, sealers and dyes. A water-based product intended for ground and polished concrete floors	
	UL 0005	ULTRALIT LATEX - Liquid latex-based grout for filling pores, 5L pail	72
	UL 0020	ULTRALIT LATEX - Liquid latex-based grout for filling pores, 20L pail	290
 		ULTRALIT FLEX PU40 A single-component polyurethane sealing compound, subject to curing due to moisture from the air. It forms a durable, flexible joint with a very good adhesion to construction materials, resistant to water, vibrations and dynamic loads. Can be painted once cured. Intended for sealing expansion joints, gaps and joints in concrete and other construction materials	
	UFPU40-0020	ULTRALIT FLEX PU40 - Single-component polyurethane sealing compound for expansion joints, 1 carton × 20pcs., 600g each	88
	UFPU40-1000	ULTRALIT FLEX PU40 - Single-component polyurethane sealing compound for expansion joints, 50 cartons × 20pcs., 600g each	4,065
 		ULTRALIT FLEX PU50 A single-component high-modulus hybrid polymer-based adhesive-sealant. It ensures excellent adhesion to most construction materials, even on damp surfaces. It forms durable and flexible joints resistant to weathering, vibrations and ageing. Intended for bonding and sealing elements made of concrete, metal, aluminium, wood, glass, ceramics and plastics. Perfect for difficult construction conditions	
	UFPU50-0020	ULTRALIT FLEX PU50 - Single-component high-modulus hybrid based adhesive-sealant, 1 carton × 20 pcs., 600g each	102
	UFPU50-1000	ULTRALIT FLEX PU50 - Single-component high-modulus hybrid based adhesive-sealant, 50 cartons × 20 pcs., 600g each	4,674

* ask for discount



+48 518 961 321 Technical Support



+48 786 864 361 Office

CONCRETE FLOOR CLEANERS FOR AUTOMATIC FLOOR SCRUBBERS

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
 	UC-10	ULTRALIT CLEAN A concentrate for intensive cleaning of industrial concrete floors. It effectively removes operational soiling, greases and oils present in production plants, workshops and industrial facilities. A low-foaming agent intended for manual application or use with automatic floor scrubbers. Contains no phosphates, chloride, reduces dusting of the floor	74
	UC-200	ULTRALIT CLEAN - Concentrate for intensive cleaning of concrete and industrial floors, 200L drum	1,419
 	UCP-10	ULTRALIT CLEAN PLUS A highly-efficient, strong alkaline concentrate for aggressive cleaning of concrete and industrial floors. It effectively removes stubborn soiling, oils and greases from surfaces being used in industry and workshops. An agent intended for manual application or use with automatic floor scrubbers. With the contents of active lithium silicate, it supports surface hardening and reduces dusting of the floor	123
	UCP-200	ULTRALIT CLEAN PLUS - Highly-efficient, strong alkaline concentrate for aggressive floor cleaning, 200L drum	2,375
 	UB-10	ULTRALIT BRILLIANT A low-foaming surfactant cleaning agent for concrete floors, intended for manual application or use with automatic floor scrubbers. It effectively removes operational soiling, while renovating the sealing layer and providing the surface with a light-gloss effect and slip-resistant properties. Regular use helps keep cleanliness and increases resistance of the floor to soiling	70
	UB-200	ULTRALIT BRILLIANT - Low-foaming surfactant cleaning agent for mineral floors	1,355

* ask for discount







+48 518 961 321 Technical Support







+48 786 864 361 Office

PENETRATING CONCRETE DYES

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
		Ameripolish SureLock A concrete dye concentrate intended for indoor use. With its unique formula, it deeply penetrates the concrete structure, ensuring long-lasting colour and aesthetic effect of the floor for years. Discover the range of 24 shades of SureLock concrete dye from the globally-known Ameripolish company	
	ASL.1-01	Ameripolish SureLock GOLD 0.23L Ameripolish SureLock GOLD 1.15L	95 423
	ASL.1-02	Ameripolish SureLock RAW SIENNA 0.23L Ameripolish SureLock RAW SIENNA 1.15L	95 423
	ASL.1-03	Ameripolish SureLock CARMEL 0.23L Ameripolish SureLock CARMEL 1.15L	95 423
	ASL.1-04	Ameripolish SureLock SAND 0.23L Ameripolish SureLock SAND 1.15L	95 423
	ASL.1-05	Ameripolish SureLock TERRA COTTA 0.23L Ameripolish SureLock TERRA COTTA 1.15L	95 423
	ASL.1-06	Ameripolish SureLock MAHOGANY 0.23L Ameripolish SureLock MAHOGANY 1.15L	95 423
	ASL.1-07	Ameripolish SureLock SADDLE BROWN 0.23L Ameripolish SureLock SADDLE BROWN 1.15L	95 423
	ASL.1-08	Ameripolish SureLock CHOCOLATE BROWN 0.23L Ameripolish SureLock CHOCOLATE BROWN 1.15L	95 423
	ASL.1-09	Ameripolish SureLock WALNUT 0.23L Ameripolish SureLock WALNUT 1.15L	95 423
	ASL.1-10	Ameripolish SureLock BURNT SIENNA 0.23L Ameripolish SureLock BURNT SIENNA 1.15L	95 423
	ASL.1-11	Ameripolish SureLock CHESTNUT 0.23L Ameripolish SureLock CHESTNUT 1.15L	95 423
	ASL.1-12	Ameripolish SureLock MAROON 0.23L Ameripolish SureLock MAROON 1.15L	95 423



PENETRATING CONCRETE DYES

	ITEM / CODE	DESCRIPTION	NET PRICE (EUR)
		Ameripolish SureLock A concrete dye concentrate intended for indoor use. With its unique formula, it deeply penetrates the concrete structure, ensuring long-lasting colour and aesthetic effect of the floor for years. Discover the range of 24 shades of SureLock concrete dye from the globally-known Ameripolish company	
	ASL.1-13	Ameripolish SureLock SEPIA 0.23L Ameripolish SureLock SEPIA 1.15L	95 423
	ASL.1-14	Ameripolish SureLock EGGPLANT 0.23L Ameripolish SureLock EGGPLANT 1.15L	95 423
	ASL.1-15	Ameripolish SureLock TURQUOISE 0.23L Ameripolish SureLock TURQUOISE 1.15L	95 423
	ASL.1-16	Ameripolish SureLock SLATE BLUE 0.23L Ameripolish SureLock SLATE BLUE 1.15L	95 423
	ASL.1-17	Ameripolish SureLock PATRIOT BLUE 0.23L Ameripolish SureLock PATRIOT BLUE 1.15L	95 423
	ASL.1-18	Ameripolish SureLock GREEN 0.23L Ameripolish SureLock GREEN 1.15L	95 423
	ASL.1-19	Ameripolish SureLock PINE GREEN 0.23L Ameripolish SureLock PINE GREEN 1.15L	95 423
	ASL.1-20	Ameripolish SureLock FOREST GREEN 0.23L Ameripolish SureLock FOREST GREEN 1.15L	95 423
	ASL.1-21	Ameripolish SureLock BLACK 0.23L Ameripolish SureLock BLACK 1.15L	95 423
	ASL.1-22	Ameripolish SureLock MIDNIGHT BLACK 0.23L Ameripolish SureLock MIDNIGHT BLACK 1.15L	95 423
	ASL.1-23	Ameripolish SureLock RED 0.23L Ameripolish SureLock RED 1.15L	95 423
	ASL.1-24	Ameripolish SureLock GRAY 0.23L Ameripolish SureLock GRAY 1.15L	95 423



SUPRASHINE PADS



SRG SUPRASHINE Regular

Diamond pads with flexible base, intended for daily cleaning of hard floors for use with automatic floor scrubbers. They ensure longer life at low price per piece, combining economy and high performance. Adapted for work with both high- and low-speed automatic floor scrubbers of any size, ensure a stable effect and comfort of use in commercial and industrial facilities

		RED	WHITE	YELLOW	GREEN	SILVER	
D"	D mm	grit	grit	grit	grit	grit	NET PRICE (EUR)
9"	229mm	400	800	1800	3500	8000	15
10"	254mm	400	800	1800	3500	8000	16
10.63"	270mm	400	800	1800	3500	8000	17
11"	279mm	400	800	1800	3500	8000	17
12"	305mm	400	800	1800	3500	8000	18
13"	330mm	400	800	1800	3500	8000	21
14"	356mm	400	800	1800	3500	8000	24
15"	381mm	400	800	1800	3500	8000	26
16"	406mm	400	800	1800	3500	8000	29
17"	432mm	400	800	1800	3500	8000	33
18"	457mm	400	800	1800	3500	8000	37
19"	483mm	400	800	1800	3500	8000	39
20"	508mm	400	800	1800	3500	8000	41
21"	533mm	400	800	1800	3500	8000	48
22"	559mm	400	800	1800	3500	8000	54
24"	610mm	400	800	1800	3500	8000	69
27"	686mm	400	800	1800	3500	8000	76
28"	711mm	400	800	1800	3500	8000	83



SHP SUPRASHINE High Performance

Diamond pads with double diamond layer, ensuring even 2× or 3× longer life. Intended for work with medium and heavy-duty automatic floor scrubbers, both high- and low-speed, ensuring high efficiency and consistent effect on hard floors

		ORANGE	BLUE	PINK	
D"	D mm	grit	grit	grit	NET PRICE (EUR)
9"	229mm	800	1800	3500	17
10"	254mm	800	1800	3500	22
10,63"	270mm	800	1800	3500	29
11"	279mm	800	1800	3500	29
12"	305mm	800	1800	3500	31
13"	330mm	800	1800	3500	31
14"	356mm	800	1800	3500	32
15"	381mm	800	1800	3500	36
16"	406mm	800	1800	3500	40
17"	432mm	800	1800	3500	45
18"	457mm	800	1800	3500	52
19"	483mm	800	1800	3500	55
20"	508mm	800	1800	3500	65
21"	533mm	800	1800	3500	67
22"	559mm	800	1800	3500	75
24"	610mm	800	1800	3500	91
27"	686mm	800	1800	3500	100
28"	711mm	800	1800	3500	109



+48 518 961 321 Technical Support



+48 786 864 361 Office

SUPRASHINE PADS



SHD SUPRASHINE HEAVY DUTY

Range of diamond pads for aggressive cleaning and stripping. Intended for use with low- and high-speed automatic floor scrubbers. SUPRASHINE SHD pads effectively remove strong soiling, quickly clean the surface and prepare the floor for further stages of maintenance or renovation, providing high efficiency even in difficult operating conditions


			BROWN	RED	NET PRICE (EUR)
D"	D mm		grit	grit	
9"	229mm		220	400	13
10"	254mm		220	400	19
10.63"	270mm		220	400	20
11"	279mm		220	400	21
12"	305mm		220	400	22
13"	330mm		220	400	24
14"	356mm		220	400	26
15"	381mm		220	400	28
16"	406mm		220	400	32
17"	432mm		220	400	37
18"	457mm		220	400	40
19"	483mm		220	400	42
20"	508mm		220	400	47
21"	533mm		220	400	52
22"	559mm		220	400	59
24"	610mm		220	400	71
27"	686mm		220	400	77
28"	711mm		400	400	98



SUPRASHINE HD Rectangular Pads

Rectangular diamond pads dedicated for oscillating automatic floor scrubbers. They ensure effective, intensive cleaning of hard floors, uniform operation and professional effect in commercial and industrial facilities

					NET PRICE (EUR)
9"×12"	229mm × 305mm	220	400		23
10"×17"	254mm × 432mm	220	400		32
12"×18"	305mm × 457mm	220	400		41
12"×22"	305mm×559mm	220	400		46
14"×20"	356mm×508mm	220	400		47
14"×22"	356mm×559mm	220	400		50
14"×24"	356mm×610mm	220	400		53
14"×28"	356mm×711mm	220	400		58
14"×32"	356mm×813mm	220	400		71



SUPRASHINE Hybrids

Hybrid 125mm diamond pads with high diamond concentration, intended for renovation of concrete, terrazzo and stone floors for use with automatic floor scrubbers. They allow for quick and effective restoration of industrial and commercial floors without having to use grinders, greatly reducing the operating time and completion costs

									NET PRICE (EUR)
5"	127mm	50	100	200	400	800	1800	3000	32.29

DIAMOND SCREENS



DS SCREENS

A metal diamond screen with galvanically deposited diamond, intended for very aggressive cleaning and renovation of concrete and stone floors. It effectively removes porosity and smooths the surface, restoring its uniform structure. Can be used on low- and high-speed automatic floor scrubbers. DS SCREEN works well where other floor cleaning and renovation methods have no effect, offering maximum performance in the most difficult conditions

D"	D mm	grit	NET PRICE (EUR)
14"	356mm	120	163
14"	356mm	220	124
14"	356mm	400	103
14"	356mm	600	70
17"	432mm	120	201
17"	432mm	220	153
17"	432mm	400	122
17"	432mm	600	85
20"	432mm	220	187
20"	432mm	400	144
20"	432mm	600	113



+48 518 961 321 Technical Support



+48 786 864 361 Office



WHY LAVINA?

We don't just sell machines. We help our customers succeed.

For more than 13 years, we have been supporting companies specialising in concrete floor preparation, restoration and maintenance. Our goal is not a one-off sale - we build long-term partnerships based on knowledge, experience and proven results.

What do you get by collaborating with us?

- Professional technical advice before purchase
- Practical training for operators and contractors
- Help selecting a complete solution for your application
- High-quality machines and proven diamond tools
- Fast and professional servicing with spare parts readily available
- Warehouse and technical support in Poland
- Product tests and demonstrations at the customer's site
- Help optimising costs and increasing project profitability
- After-sales support
- A partnership based on trust and years of experience

Your success is the best testament to our work.

LAVINA Poland
Professional solutions for concrete floors

Machines • Diamond Tools • Densifiers, Sealers & Dyes • Training • Service



LAVINA

Surface Preparation Systems



Lavina Sp. z o.o.
m
ul. Parowcowa 4B, 02-445 Warsaw
www.beton555.com